



RSE TX above 1GHz Result\_Non-Beamforming

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz_TX	Pass	PK	5.4698G	67.60	68.20	-0.60	7.50	3	Horizontal	353	1.12	-
5500MHz_TX	Pass	PK	5.5076G	111.71	Inf	-Inf	7.56	3	Horizontal	353	1.12	-
5500MHz_TX	Pass	AV	10.99574G	44.47	54.00	-9.53	16.90	3	Vertical	296	2.36	-
5500MHz_TX	Pass	PK	11.00996G	56.87	74.00	-17.13	16.91	3	Vertical	296	2.36	-
5500MHz_TX	Pass	PK	16.49838G	59.00	68.20	-9.20	15.89	3	Vertical	49	2.05	-
5500MHz_TX	Pass	AV	10.99244G	44.49	54.00	-9.51	16.90	3	Horizontal	66	1.65	-
5500MHz_TX	Pass	PK	10.9937G	56.47	74.00	-17.53	16.90	3	Horizontal	66	1.65	-
5500MHz_TX	Pass	PK	16.50366G	59.17	68.20	-9.03	15.92	3	Horizontal	305	1.60	-
5580MHz_TX	Pass	AV	5.43G	48.25	54.00	-5.75	7.44	3	Vertical	269	1.72	-
5580MHz_TX	Pass	AV	5.574G	101.56	Inf	-Inf	7.67	3	Vertical	269	1.72	-
5580MHz_TX	Pass	PK	5.4642G	59.40	68.20	-8.80	7.49	3	Vertical	269	1.72	-
5580MHz_TX	Pass	PK	5.5794G	110.62	Inf	-Inf	7.69	3	Vertical	269	1.72	-
5580MHz_TX	Pass	PK	5.7288G	59.97	68.20	-8.23	8.00	3	Vertical	269	1.72	-
5580MHz_TX	Pass	AV	5.4408G	47.94	54.00	-6.06	7.45	3	Horizontal	0	1.35	-
5580MHz_TX	Pass	AV	5.5866G	102.38	Inf	-Inf	7.69	3	Horizontal	0	1.35	-
5580MHz_TX	Pass	PK	5.4642G	59.34	68.20	-8.86	7.49	3	Horizontal	0	1.35	-
5580MHz_TX	Pass	PK	5.5854G	111.60	Inf	-Inf	7.69	3	Horizontal	0	1.35	-
5580MHz_TX	Pass	PK	5.7288G	60.22	68.20	-7.98	8.00	3	Horizontal	0	1.35	-
5580MHz_TX	Pass	AV	11.15532G	44.24	54.00	-9.76	16.80	3	Vertical	277	1.57	-
5580MHz_TX	Pass	PK	11.16354G	56.54	74.00	-17.46	16.80	3	Vertical	277	1.57	-
5580MHz_TX	Pass	PK	16.73154G	61.33	68.20	-6.87	16.72	3	Vertical	46	2.76	-
5580MHz_TX	Pass	AV	11.15706G	44.26	54.00	-9.74	16.80	3	Horizontal	162	1.58	-
5580MHz_TX	Pass	PK	11.15316G	56.34	74.00	-17.66	16.81	3	Horizontal	162	1.58	-
5580MHz_TX	Pass	PK	16.7442G	61.93	68.20	-6.27	16.76	3	Horizontal	248	2.70	-
5700MHz_TX	Pass	AV	5.7032G	100.07	Inf	-Inf	7.94	3	Vertical	297	1.80	-
5700MHz_TX	Pass	PK	5.7016G	109.90	Inf	-Inf	7.94	3	Vertical	297	1.80	-
5700MHz_TX	Pass	PK	5.726G	64.27	68.20	-3.93	7.99	3	Vertical	297	1.80	-
5700MHz_TX	Pass	AV	5.704G	100.26	Inf	-Inf	7.95	3	Horizontal	15	1.88	-
5700MHz_TX	Pass	PK	5.704G	109.84	Inf	-Inf	7.95	3	Horizontal	15	1.88	-
5700MHz_TX	Pass	PK	5.7256G	67.32	68.20	-0.88	7.99	3	Horizontal	15	1.88	-
5700MHz_TX	Pass	AV	11.39796G	44.01	54.00	-9.99	16.64	3	Vertical	71	1.41	-
5700MHz_TX	Pass	PK	11.40258G	56.11	74.00	-17.89	16.64	3	Vertical	71	1.41	-
5700MHz_TX	Pass	PK	17.10024G	61.36	68.20	-6.84	18.44	3	Vertical	122	1.50	-
5700MHz_TX	Pass	AV	11.3976G	44.12	54.00	-9.88	16.64	3	Horizontal	291	2.34	-
5700MHz_TX	Pass	PK	11.40408G	56.31	74.00	-17.69	16.63	3	Horizontal	291	2.34	-
5700MHz_TX	Pass	PK	17.10006G	62.76	68.20	-5.44	18.44	3	Horizontal	240	2.63	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5270MHz_TX	Pass	AV	5.2616G	98.09	Inf	-Inf	7.14	3	Vertical	245	1.84	-
5270MHz_TX	Pass	AV	5.35G	49.15	54.00	-4.85	7.30	3	Vertical	245	1.84	-
5270MHz_TX	Pass	PK	5.2612G	106.69	Inf	-Inf	7.14	3	Vertical	245	1.84	-
5270MHz_TX	Pass	PK	5.3628G	60.28	74.00	-13.72	7.33	3	Vertical	245	1.84	-
5270MHz_TX	Pass	AV	5.2592G	100.19	Inf	-Inf	7.14	3	Horizontal	344	1.43	-
5270MHz_TX	Pass	AV	5.3548G	48.77	54.00	-5.23	7.31	3	Horizontal	344	1.43	-
5270MHz_TX	Pass	PK	5.2588G	108.64	Inf	-Inf	7.14	3	Horizontal	344	1.43	-
5270MHz_TX	Pass	PK	5.3508G	59.40	74.00	-14.60	7.30	3	Horizontal	344	1.43	-
5270MHz_TX	Pass	AV	15.8031G	44.65	54.00	-9.35	14.78	3	Vertical	360	2.59	-
5270MHz_TX	Pass	PK	10.53034G	56.06	68.20	-12.14	16.13	3	Vertical	12	1.26	-
5270MHz_TX	Pass	PK	15.81264G	57.93	74.00	-16.07	14.74	3	Vertical	360	2.59	-
5270MHz_TX	Pass	AV	15.80922G	46.38	54.00	-7.62	14.76	3	Horizontal	250	2.18	-



RSE TX above 1GHz Result\_Non-Beamforming

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz_TX	Pass	PK	10.53706G	55.53	68.20	-12.67	16.14	3	Horizontal	313	1.72	-
5270MHz_TX	Pass	PK	15.81108G	59.14	74.00	-14.86	14.75	3	Horizontal	250	2.18	-
5310MHz_TX	Pass	AV	5.3024G	95.97	Inf	-Inf	7.21	3	Vertical	257	1.83	-
5310MHz_TX	Pass	AV	5.3508G	53.75	54.00	-0.25	7.30	3	Vertical	257	1.83	-
5310MHz_TX	Pass	PK	5.302G	104.29	Inf	-Inf	7.21	3	Vertical	257	1.83	-
5310MHz_TX	Pass	PK	5.35G	66.27	74.00	-7.73	7.30	3	Vertical	257	1.83	-
5310MHz_TX	Pass	AV	5.3184G	98.35	Inf	-Inf	7.24	3	Horizontal	348	1.30	-
5310MHz_TX	Pass	AV	5.354G	53.03	54.00	-0.97	7.31	3	Horizontal	348	1.30	-
5310MHz_TX	Pass	PK	5.318G	106.57	Inf	-Inf	7.24	3	Horizontal	348	1.30	-
5310MHz_TX	Pass	PK	5.3548G	65.54	74.00	-8.46	7.31	3	Horizontal	348	1.30	-
5310MHz_TX	Pass	AV	10.61352G	43.80	54.00	-10.20	16.27	3	Vertical	103	1.45	-
5310MHz_TX	Pass	AV	15.91752G	43.88	54.00	-10.12	14.42	3	Vertical	247	1.59	-
5310MHz_TX	Pass	PK	10.63374G	55.64	74.00	-18.36	16.30	3	Vertical	103	1.45	-
5310MHz_TX	Pass	PK	15.94374G	57.13	74.00	-16.87	14.33	3	Vertical	247	1.59	-
5310MHz_TX	Pass	AV	10.62018G	44.08	54.00	-9.92	16.28	3	Horizontal	249	2.36	-
5310MHz_TX	Pass	AV	15.92178G	44.49	54.00	-9.51	14.40	3	Horizontal	226	2.69	-
5310MHz_TX	Pass	PK	10.60698G	56.53	74.00	-17.47	16.26	3	Horizontal	249	2.36	-
5310MHz_TX	Pass	PK	15.91986G	57.63	74.00	-16.37	14.41	3	Horizontal	226	2.69	-
5510MHz_TX	Pass	AV	5.46G	50.26	54.00	-3.74	7.49	3	Vertical	285	1.78	-
5510MHz_TX	Pass	AV	5.5188G	95.99	Inf	-Inf	7.57	3	Vertical	285	1.78	-
5510MHz_TX	Pass	PK	5.4596G	61.39	74.00	-12.61	7.49	3	Vertical	285	1.78	-
5510MHz_TX	Pass	PK	5.4696G	66.86	68.20	-1.34	7.50	3	Vertical	285	1.78	-
5510MHz_TX	Pass	PK	5.5212G	104.30	Inf	-Inf	7.57	3	Vertical	285	1.78	-
5510MHz_TX	Pass	AV	5.46G	52.68	54.00	-1.32	7.49	3	Horizontal	357	1.31	-
5510MHz_TX	Pass	AV	5.518G	98.22	Inf	-Inf	7.57	3	Horizontal	357	1.31	-
5510MHz_TX	Pass	PK	5.46G	63.10	74.00	-10.90	7.49	3	Horizontal	357	1.31	-
5510MHz_TX	Pass	PK	5.4696G	66.51	68.20	-1.69	7.50	3	Horizontal	357	1.31	-
5510MHz_TX	Pass	PK	5.5176G	106.68	Inf	-Inf	7.56	3	Horizontal	357	1.31	-
5510MHz_TX	Pass	AV	11.01928G	45.04	54.00	-8.96	16.89	3	Vertical	258	1.92	-
5510MHz_TX	Pass	PK	11.02144G	56.89	74.00	-17.11	16.89	3	Vertical	258	1.92	-
5510MHz_TX	Pass	PK	16.5282G	58.98	68.20	-9.22	16.01	3	Vertical	176	1.50	-
5510MHz_TX	Pass	AV	11.0095G	44.92	54.00	-9.08	16.91	3	Horizontal	55	2.43	-
5510MHz_TX	Pass	PK	11.02738G	56.84	74.00	-17.16	16.89	3	Horizontal	55	2.43	-
5510MHz_TX	Pass	PK	16.53018G	58.96	68.20	-9.24	16.01	3	Horizontal	179	1.50	-
5550MHz_TX	Pass	AV	5.4588G	49.16	54.00	-4.84	7.49	3	Vertical	272	1.67	-
5550MHz_TX	Pass	AV	5.5432G	99.04	Inf	-Inf	7.62	3	Vertical	272	1.67	-
5550MHz_TX	Pass	PK	5.4636G	60.64	68.20	-7.56	7.49	3	Vertical	272	1.67	-
5550MHz_TX	Pass	PK	5.5456G	107.56	Inf	-Inf	7.62	3	Vertical	272	1.67	-
5550MHz_TX	Pass	AV	5.46G	49.35	54.00	-4.65	7.49	3	Horizontal	4	1.50	-
5550MHz_TX	Pass	AV	5.5392G	100.12	Inf	-Inf	7.61	3	Horizontal	4	1.50	-
5550MHz_TX	Pass	PK	5.4656G	60.65	68.20	-7.55	7.50	3	Horizontal	4	1.50	-
5550MHz_TX	Pass	PK	5.5388G	108.80	Inf	-Inf	7.61	3	Horizontal	4	1.50	-
5550MHz_TX	Pass	AV	11.10936G	44.79	54.00	-9.21	16.84	3	Vertical	123	1.86	-
5550MHz_TX	Pass	PK	11.09586G	56.38	74.00	-17.62	16.85	3	Vertical	123	1.86	-
5550MHz_TX	Pass	PK	16.65804G	59.87	68.20	-8.33	16.46	3	Vertical	152	1.50	-
5550MHz_TX	Pass	AV	11.11398G	44.93	54.00	-9.07	16.83	3	Horizontal	347	1.81	-
5550MHz_TX	Pass	PK	11.097G	56.62	74.00	-17.38	16.84	3	Horizontal	347	1.81	-
5550MHz_TX	Pass	PK	16.65828G	60.28	68.20	-7.92	16.46	3	Horizontal	249	2.44	-
5670MHz_TX	Pass	AV	5.6628G	99.71	Inf	-Inf	7.86	3	Vertical	275	1.67	-



RSE TX above 1GHz Result\_Non-Beamforming

Appendix D.1

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz_TX	Pass	PK	5.6616G	108.22	Inf	-Inf	7.85	3	Vertical	275	1.67	-
5670MHz_TX	Pass	PK	5.7252G	66.91	68.20	-1.29	7.99	3	Vertical	275	1.67	-
5670MHz_TX	Pass	AV	5.6772G	100.22	Inf	-Inf	7.89	3	Horizontal	8	1.30	-
5670MHz_TX	Pass	PK	5.6772G	109.01	Inf	-Inf	7.89	3	Horizontal	8	1.30	-
5670MHz_TX	Pass	PK	5.7264G	68.06	68.20	-0.14	7.99	3	Horizontal	8	1.30	-
5670MHz_TX	Pass	AV	11.33976G	44.91	54.00	-9.09	16.67	3	Vertical	333	2.15	-
5670MHz_TX	Pass	PK	11.34024G	56.65	74.00	-17.35	16.67	3	Vertical	333	2.15	-
5670MHz_TX	Pass	PK	17.01372G	60.55	68.20	-7.65	17.77	3	Vertical	38	1.50	-
5670MHz_TX	Pass	AV	11.33682G	44.94	54.00	-9.06	16.68	3	Horizontal	99	1.38	-
5670MHz_TX	Pass	PK	11.3361G	56.48	74.00	-17.52	16.68	3	Horizontal	99	1.38	-
5670MHz_TX	Pass	PK	17.00718G	61.99	68.20	-6.21	17.72	3	Horizontal	244	2.67	-
802.11ac VHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-
5290MHz_TX	Pass	AV	5.149G	48.61	54.00	-5.39	7.00	3	Vertical	277	1.69	-
5290MHz_TX	Pass	AV	5.296G	89.86	Inf	-Inf	7.20	3	Vertical	277	1.69	-
5290MHz_TX	Pass	AV	5.356G	53.74	54.00	-0.26	7.31	3	Vertical	277	1.69	-
5290MHz_TX	Pass	PK	5.08G	60.17	74.00	-13.83	6.98	3	Vertical	277	1.69	-
5290MHz_TX	Pass	PK	5.297G	98.57	Inf	-Inf	7.20	3	Vertical	277	1.69	-
5290MHz_TX	Pass	PK	5.533G	59.86	68.20	-8.34	7.60	3	Vertical	277	1.69	-
5290MHz_TX	Pass	AV	5.15G	48.82	54.00	-5.18	7.00	3	Horizontal	340	1.45	-
5290MHz_TX	Pass	AV	5.269G	93.61	Inf	-Inf	7.15	3	Horizontal	340	1.45	-
5290MHz_TX	Pass	AV	5.35G	53.58	54.00	-0.42	7.30	3	Horizontal	340	1.45	-
5290MHz_TX	Pass	PK	5.139G	60.78	74.00	-13.22	6.99	3	Horizontal	340	1.45	-
5290MHz_TX	Pass	PK	5.269G	102.22	Inf	-Inf	7.15	3	Horizontal	340	1.45	-
5290MHz_TX	Pass	PK	5.535G	60.85	68.20	-7.35	7.60	3	Horizontal	340	1.45	-
5290MHz_TX	Pass	AV	15.85896G	44.41	54.00	-9.59	14.60	3	Vertical	8	2.97	-
5290MHz_TX	Pass	PK	10.57958G	55.16	68.20	-13.04	15.74	3	Vertical	262	1.55	-
5290MHz_TX	Pass	PK	15.87516G	57.53	74.00	-16.47	14.55	3	Vertical	8	2.97	-
5290MHz_TX	Pass	AV	15.8559G	44.29	54.00	-9.71	14.60	3	Horizontal	229	2.16	-
5290MHz_TX	Pass	PK	10.5758G	54.81	68.20	-13.39	15.74	3	Horizontal	101	1.91	-
5290MHz_TX	Pass	PK	15.8634G	57.72	74.00	-16.28	14.59	3	Horizontal	229	2.16	-
5530MHz_TX	Pass	AV	5.458G	50.26	54.00	-3.74	7.48	3	Vertical	274	1.69	-
5530MHz_TX	Pass	AV	5.511G	91.35	Inf	-Inf	7.57	3	Vertical	274	1.69	-
5530MHz_TX	Pass	PK	5.469G	61.18	68.20	-7.02	7.50	3	Vertical	274	1.69	-
5530MHz_TX	Pass	PK	5.537G	99.98	Inf	-Inf	7.61	3	Vertical	274	1.69	-
5530MHz_TX	Pass	PK	5.754G	60.37	68.20	-7.83	8.05	3	Vertical	274	1.69	-
5530MHz_TX	Pass	AV	5.452G	53.41	54.00	-0.59	7.48	3	Horizontal	358	1.30	-
5530MHz_TX	Pass	AV	5.511G	93.45	Inf	-Inf	7.57	3	Horizontal	358	1.30	-
5530MHz_TX	Pass	PK	5.469G	66.27	68.20	-1.93	7.50	3	Horizontal	358	1.30	-
5530MHz_TX	Pass	PK	5.51G	101.96	Inf	-Inf	7.56	3	Horizontal	358	1.30	-
5530MHz_TX	Pass	PK	5.764G	59.99	68.20	-8.21	8.06	3	Horizontal	358	1.30	-
5530MHz_TX	Pass	AV	11.05448G	44.20	54.00	-9.80	16.28	3	Vertical	3	2.12	-
5530MHz_TX	Pass	PK	11.0615G	55.67	74.00	-18.33	16.27	3	Vertical	3	2.12	-
5530MHz_TX	Pass	PK	16.59414G	58.90	68.20	-9.30	16.24	3	Vertical	18	1.72	-
5530MHz_TX	Pass	AV	11.06462G	44.16	54.00	-9.84	16.27	3	Horizontal	307	1.78	-
5530MHz_TX	Pass	PK	11.05262G	55.63	74.00	-18.37	16.29	3	Horizontal	307	1.78	-
5530MHz_TX	Pass	PK	16.5936G	59.23	68.20	-8.97	16.24	3	Horizontal	270	1.50	-
5610MHz_TX	Pass	AV	5.46G	51.97	54.00	-2.03	7.49	3	Vertical	286	1.84	-
5610MHz_TX	Pass	AV	5.607G	95.48	Inf	-Inf	7.74	3	Vertical	286	1.84	-
5610MHz_TX	Pass	PK	5.465G	62.73	68.20	-5.47	7.50	3	Vertical	286	1.84	-



**RSE TX above 1GHz Result\_Non-Beamforming**

**Appendix D.1**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz_TX	Pass	PK	5.606G	103.92	Inf	-Inf	7.74	3	Vertical	286	1.84	-
5610MHz_TX	Pass	PK	5.727G	67.12	68.20	-1.08	7.99	3	Vertical	286	1.84	-
5610MHz_TX	Pass	AV	5.452G	53.76	54.00	-0.24	7.48	3	Horizontal	360	1.24	-
5610MHz_TX	Pass	AV	5.609G	95.70	Inf	-Inf	7.74	3	Horizontal	360	1.24	-
5610MHz_TX	Pass	PK	5.468G	65.42	68.20	-2.78	7.50	3	Horizontal	360	1.24	-
5610MHz_TX	Pass	PK	5.604G	104.21	Inf	-Inf	7.73	3	Horizontal	360	1.24	-
5610MHz_TX	Pass	PK	5.727G	66.60	68.20	-1.60	7.99	3	Horizontal	360	1.24	-
5610MHz_TX	Pass	AV	11.23098G	44.07	54.00	-9.93	16.12	3	Vertical	91	2.35	-
5610MHz_TX	Pass	PK	11.23392G	56.22	74.00	-17.78	16.11	3	Vertical	91	2.35	-
5610MHz_TX	Pass	PK	16.83642G	61.48	68.20	-6.72	17.09	3	Vertical	220	1.50	-
5610MHz_TX	Pass	AV	11.2185G	44.16	54.00	-9.84	16.12	3	Horizontal	291	2.41	-
5610MHz_TX	Pass	PK	11.21178G	56.19	74.00	-17.81	16.13	3	Horizontal	291	2.41	-
5610MHz_TX	Pass	PK	16.8318G	61.61	68.20	-6.59	17.07	3	Horizontal	236	1.90	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.15G	43.09	54.00	-10.91	2.74	3	Vertical	237	2.22	-
AV	5.2606G	100.52	Inf	-Inf	2.87	3	Vertical	237	2.22	-
AV	5.3518G	43.10	54.00	-10.90	2.97	3	Vertical	237	2.22	-
PK	5.1106G	58.45	74.00	-15.55	2.70	3	Vertical	237	2.22	-
PK	5.257G	110.60	Inf	-Inf	2.86	3	Vertical	237	2.22	-
PK	5.3614G	55.10	74.00	-18.90	2.98	3	Vertical	237	2.22	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1418G	43.34	54.00	-10.66	2.74	3	Horizontal	269	1.88	-
AV	5.2636G	101.34	Inf	-Inf	2.87	3	Horizontal	269	1.88	-
AV	5.374G	42.71	54.00	-11.29	2.99	3	Horizontal	269	1.88	-
PK	5.1484G	55.29	74.00	-18.71	2.74	3	Horizontal	269	1.88	-
PK	5.2672G	111.35	Inf	-Inf	2.88	3	Horizontal	269	1.88	-
PK	5.3764G	55.38	74.00	-18.62	3.00	3	Horizontal	269	1.88	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5260MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.7772G	47.00	54.00	-7.00	12.94	3	Vertical	16	1.91	-
PK	10.5218G	62.73	68.20	-5.47	12.98	3	Vertical	130	1.44	-
PK	15.786G	60.07	74.00	-13.93	12.90	3	Vertical	16	1.91	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5260MHz\_TX



Legend for the spectrum plot:

- Lim.PK
- PK
- Lim.AV
- AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.7784G	51.16	54.00	-2.84	12.94	3	Horizontal	205	1.50	-
PK	10.5201G	57.77	68.20	-10.43	12.98	3	Horizontal	289	1.53	-
PK	15.7711G	64.38	74.00	-9.62	12.97	3	Horizontal	205	1.50	-






802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3032G	99.29	Inf	-Inf	2.91	3	Vertical	242	2.07	-
AV	5.35G	46.96	54.00	-7.04	2.97	3	Vertical	242	2.07	-
PK	5.3028G	110.76	Inf	-Inf	2.91	3	Vertical	242	2.07	-
PK	5.3516G	61.15	74.00	-12.85	2.97	3	Vertical	242	2.07	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3032G	99.23	Inf	-Inf	2.91	3	Horizontal	275	1.88	-
AV	5.35G	46.63	54.00	-7.37	2.97	3	Horizontal	275	1.88	-
PK	5.3028G	110.66	Inf	-Inf	2.91	3	Horizontal	275	1.88	-
PK	5.3524G	60.08	74.00	-13.92	2.97	3	Horizontal	275	1.88	-

802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.8998G	45.96	54.00	-8.04	12.35	3	Vertical	324	1.45	-
PK	10.5944G	59.95	68.20	-8.25	13.14	3	Vertical	130	1.54	-
PK	15.9006G	59.46	74.00	-14.54	12.35	3	Vertical	324	1.45	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5300MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.9042G	50.91	54.00	-3.09	12.33	3	Horizontal	198	1.53	-
PK	10.6002G	56.47	74.00	-17.53	13.15	3	Horizontal	288	1.50	-
PK	15.8949G	64.42	74.00	-9.58	12.38	3	Horizontal	198	1.53	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3232G	100.11	Inf	-Inf	2.94	3	Vertical	225	2.05	-
AV	5.35G	53.56	54.00	-0.44	2.97	3	Vertical	225	2.05	-
PK	5.3226G	109.66	Inf	-Inf	2.94	3	Vertical	225	2.05	-
PK	5.3504G	66.39	74.00	-7.61	2.97	3	Vertical	225	2.05	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3232G	98.57	Inf	-Inf	2.94	3	Horizontal	261	1.60	-
AV	5.35G	51.70	54.00	-2.30	2.97	3	Horizontal	261	1.60	-
PK	5.323G	108.30	Inf	-Inf	2.94	3	Horizontal	261	1.60	-
PK	5.3506G	65.24	74.00	-8.76	2.97	3	Horizontal	261	1.60	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5320MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6401G	43.79	54.00	-10.21	13.25	3	Vertical	134	1.50	-
AV	15.9617G	45.04	54.00	-8.96	12.06	3	Vertical	326	1.38	-
PK	10.6395G	56.21	74.00	-17.79	13.25	3	Vertical	134	1.50	-
PK	15.9662G	58.48	74.00	-15.52	12.04	3	Vertical	326	1.38	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5320MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6401G	43.35	54.00	-10.65	13.25	3	Horizontal	48	1.50	-
AV	15.9621G	48.58	54.00	-5.42	12.06	3	Horizontal	200	1.50	-
PK	10.638G	55.11	74.00	-18.89	13.24	3	Horizontal	48	1.50	-
PK	15.9549G	61.90	74.00	-12.10	12.09	3	Horizontal	200	1.50	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.46G	49.36	54.00	-4.64	3.10	3	Vertical	222	1.94	-
AV	5.5032G	101.20	Inf	-Inf	3.14	3	Vertical	222	1.94	-
PK	5.4672G	68.08	68.20	-0.12	3.11	3	Vertical	222	1.94	-
PK	5.5006G	110.33	Inf	-Inf	3.14	3	Vertical	222	1.94	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.46G	46.65	54.00	-7.35	3.10	3	Horizontal	265	1.86	-
AV	5.5032G	96.12	Inf	-Inf	3.14	3	Horizontal	265	1.86	-
PK	5.468G	64.89	68.20	-3.31	3.11	3	Horizontal	265	1.86	-
PK	5.4968G	105.76	Inf	-Inf	3.14	3	Horizontal	265	1.86	-

802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0003G	43.76	54.00	-10.24	14.03	3	Vertical	105	1.59	-
PK	11.0049G	56.54	74.00	-17.46	14.02	3	Vertical	105	1.59	-
PK	16.5006G	58.11	68.20	-10.09	13.59	3	Vertical	20	2.25	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5500MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.9978G	43.18	54.00	-10.82	14.03	3	Horizontal	80	2.48	-
PK	10.9971G	56.45	74.00	-17.55	14.03	3	Horizontal	113	2.48	-
PK	16.5061G	60.87	68.20	-7.33	13.61	3	Horizontal	270	1.55	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4546G	42.99	54.00	-11.01	3.09	3	Vertical	264	2.06	-
AV	5.5836G	102.67	Inf	-Inf	3.31	3	Vertical	264	2.06	-
PK	5.4636G	55.45	68.20	-12.75	3.10	3	Vertical	264	2.06	-
PK	5.583G	112.28	Inf	-Inf	3.31	3	Vertical	264	2.06	-
PK	5.7258G	56.17	68.20	-12.03	3.59	3	Vertical	264	2.06	-





802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5580MHz\_TX



Legend for the spectrum plot:

- Lim.PK 
- PK 
- Lim.AV 
- AV 


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4552G	42.51	54.00	-11.49	3.09	3	Horizontal	313	1.86	-
AV	5.583G	93.69	Inf	-Inf	3.31	3	Horizontal	313	1.86	-
PK	5.469G	54.35	68.20	-13.85	3.11	3	Horizontal	313	1.86	-
PK	5.5764G	103.06	Inf	-Inf	3.29	3	Horizontal	313	1.86	-
PK	5.727G	55.63	68.20	-12.57	3.59	3	Horizontal	313	1.86	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5580MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.1603G	43.60	54.00	-10.40	13.89	3	Vertical	129	1.29	-
PK	11.1556G	57.08	74.00	-16.92	13.89	3	Vertical	129	1.29	-
PK	16.7347G	60.06	68.20	-8.14	14.38	3	Vertical	45	2.12	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5580MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.1599G	44.04	54.00	-9.96	13.89	3	Horizontal	324	1.50	-
PK	11.1612G	56.64	74.00	-17.36	13.88	3	Horizontal	324	1.50	-
PK	16.735G	67.44	68.20	-0.76	14.38	3	Horizontal	241	1.51	-






802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.703G	100.40	Inf	-Inf	3.54	3	Vertical	276	2.16	-
PK	5.694G	110.20	Inf	-Inf	3.53	3	Vertical	276	2.16	-
PK	5.727G	61.78	68.20	-6.42	3.59	3	Vertical	276	2.16	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5700MHz\_TX






Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.6964G	93.40	Inf	-Inf	3.53	3	Horizontal	47	2.29	-
PK	5.694G	103.30	Inf	-Inf	3.53	3	Horizontal	47	2.29	-
PK	5.7414G	56.90	68.20	-11.30	3.62	3	Horizontal	47	2.29	-

802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5700MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV  

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.3999G	43.72	54.00	-10.28	13.66	3	Vertical	132	2.11	-
PK	11.3963G	57.26	74.00	-16.74	13.67	3	Vertical	132	2.11	-
PK	17.0993G	60.38	68.20	-7.82	15.97	3	Vertical	354	1.18	-



802.11a\_Nss1,(6Mbps)\_1TX(Port1)

07/03/2019

5700MHz\_TX



Legend for plot:


- Lim.PK
- PK
- Lim.AV
- AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.4002G	45.78	54.00	-8.22	13.66	3	Horizontal	281	1.59	-
PK	11.4019G	59.21	74.00	-14.79	13.66	3	Horizontal	281	1.59	-
PK	17.0948G	68.12	68.20	-0.08	15.95	3	Horizontal	244	2.27	-

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.1286G	45.68	54.00	-8.32	4.11	3	Vertical	101	2.96	-
AV	5.263G	93.25	Inf	-Inf	4.28	3	Vertical	101	2.96	-
AV	5.392G	45.47	54.00	-8.53	4.45	3	Vertical	101	2.96	-
PK	5.1376G	57.66	74.00	-16.34	4.11	3	Vertical	101	2.96	-
PK	5.263G	103.61	Inf	-Inf	4.28	3	Vertical	101	2.96	-
PK	5.3794G	58.63	74.00	-15.37	4.43	3	Vertical	101	2.96	-

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.1112G	45.64	54.00	-8.36	4.08	3	Horizontal	354	2.86	-
AV	5.2636G	99.70	Inf	-Inf	4.28	3	Horizontal	354	2.86	-
AV	5.3752G	45.77	54.00	-8.23	4.43	3	Horizontal	354	2.86	-
PK	5.119G	57.96	74.00	-16.04	4.09	3	Horizontal	354	2.86	-
PK	5.263G	110.16	Inf	-Inf	4.28	3	Horizontal	354	2.86	-
PK	5.374G	57.79	74.00	-16.21	4.42	3	Horizontal	354	2.86	-

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.77472G	45.09	54.00	-8.91	14.80	3	Vertical	280	1.48	-
PK	10.52426G	60.75	68.20	-7.45	16.27	3	Vertical	168	1.18	-
PK	15.7725G	58.46	74.00	-15.54	14.81	3	Vertical	280	1.48	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.7791G	48.94	54.00	-5.06	14.79	3	Horizontal	298	1.49	-
PK	10.51992G	59.47	68.20	-8.73	16.26	3	Horizontal	131	1.23	-
PK	15.78432G	62.90	74.00	-11.10	14.77	3	Horizontal	298	1.49	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.3036G	92.93	Inf	-Inf	4.33	3	Vertical	101	2.91	-
AV	5.35G	45.86	54.00	-8.14	4.39	3	Vertical	101	2.91	-
PK	5.3032G	103.36	Inf	-Inf	4.33	3	Vertical	101	2.91	-
PK	5.3768G	58.06	74.00	-15.94	4.43	3	Vertical	101	2.91	-

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.3032G	99.51	Inf	-Inf	4.33	3	Horizontal	3	2.99	-
AV	5.35G	49.39	54.00	-4.61	4.39	3	Horizontal	3	2.99	-
PK	5.3032G	110.02	Inf	-Inf	4.33	3	Horizontal	3	2.99	-
PK	5.3524G	63.27	74.00	-10.73	4.39	3	Horizontal	3	2.99	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5300MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60164G	44.68	54.00	-9.32	18.39	3	Vertical	213	1.50	-
AV	15.89904G	48.67	54.00	-5.33	16.69	3	Vertical	354	1.18	-
PK	10.60132G	58.25	74.00	-15.75	18.39	3	Vertical	213	1.50	-
PK	15.90042G	62.14	74.00	-11.86	16.69	3	Vertical	354	1.18	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60032G	45.79	54.00	-8.21	18.39	3	Horizontal	294	1.50	-
AV	15.9024G	47.92	54.00	-6.08	16.68	3	Horizontal	248	1.50	-
PK	10.60114G	59.27	74.00	-14.73	18.39	3	Horizontal	294	1.50	-
PK	15.89124G	61.74	74.00	-12.26	16.74	3	Horizontal	248	1.50	-

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.3148G	90.49	Inf	-Inf	4.34	3	Vertical	104	2.91	-
AV	5.3504G	47.07	54.00	-6.93	4.39	3	Vertical	104	2.91	-
PK	5.3142G	100.32	Inf	-Inf	4.34	3	Vertical	104	2.91	-
PK	5.35G	59.69	74.00	-14.31	4.39	3	Vertical	104	2.91	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.321G	96.82	Inf	-Inf	4.35	3	Horizontal	4	2.79	-
AV	5.3502G	53.05	54.00	-0.95	4.39	3	Horizontal	4	2.79	-
PK	5.323G	107.05	Inf	-Inf	4.35	3	Horizontal	4	2.79	-
PK	5.3508G	66.16	74.00	-7.84	4.39	3	Horizontal	4	2.79	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5320MHz\_TX



Legend for the spectrum plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64G	45.29	54.00	-8.71	16.44	3	Vertical	174	1.14	-
AV	15.8964G	43.90	54.00	-10.10	14.34	3	Vertical	61	1.50	-
PK	10.63634G	58.18	74.00	-15.82	16.44	3	Vertical	174	1.14	-
PK	15.89256G	57.59	74.00	-16.41	14.35	3	Vertical	61	1.50	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6292G	44.04	54.00	-9.96	16.44	3	Horizontal	17	1.01	-
AV	15.88842G	44.20	54.00	-9.80	14.38	3	Horizontal	117	1.02	-
PK	10.6448G	56.90	74.00	-17.10	16.46	3	Horizontal	17	1.01	-
PK	15.90762G	57.64	74.00	-16.36	14.30	3	Horizontal	117	1.02	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.4588G	47.94	54.00	-6.06	7.49	3	Vertical	157	2.74	-
AV	5.5028G	91.19	Inf	-Inf	7.54	3	Vertical	157	2.74	-
PK	5.4584G	59.28	74.00	-14.72	7.49	3	Vertical	157	2.74	-
PK	5.467G	60.24	68.20	-7.96	7.50	3	Vertical	157	2.74	-
PK	5.5026G	100.48	Inf	-Inf	7.54	3	Vertical	157	2.74	-

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.4598G	51.23	54.00	-2.77	7.49	3	Horizontal	354	1.50	-
AV	5.5026G	102.90	Inf	-Inf	7.54	3	Horizontal	354	1.50	-
PK	5.4598G	63.69	74.00	-10.31	7.49	3	Horizontal	354	1.50	-
PK	5.4694G	67.78	68.20	-0.42	7.50	3	Horizontal	354	1.50	-
PK	5.5052G	112.06	Inf	-Inf	7.55	3	Horizontal	354	1.50	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.99526G	44.84	54.00	-9.16	16.90	3	Vertical	289	1.74	-
PK	11.00408G	57.43	74.00	-16.57	16.90	3	Vertical	289	1.74	-
PK	16.49982G	58.84	68.20	-9.36	15.90	3	Vertical	184	1.82	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5500MHz\_TX



Legend for plot:


- Lim.PK
- PK
- Lim.AV
- AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0015G	44.92	54.00	-9.08	16.91	3	Horizontal	321	2.21	-
PK	10.99556G	57.12	74.00	-16.88	16.90	3	Horizontal	321	2.21	-
PK	16.50036G	60.36	68.20	-7.84	15.91	3	Horizontal	252	1.70	-

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.4342G	47.58	54.00	-6.42	7.44	3	Vertical	143	2.87	-
AV	5.5788G	92.23	Inf	-Inf	7.69	3	Vertical	143	2.87	-
PK	5.4618G	59.40	68.20	-8.80	7.49	3	Vertical	143	2.87	-
PK	5.5776G	102.91	Inf	-Inf	7.68	3	Vertical	143	2.87	-
PK	5.7294G	60.69	68.20	-7.51	8.00	3	Vertical	143	2.87	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.43G	47.62	54.00	-6.38	7.44	3	Horizontal	354	1.50	-
AV	5.5746G	102.55	Inf	-Inf	7.67	3	Horizontal	354	1.50	-
PK	5.4612G	58.93	68.20	-9.27	7.49	3	Horizontal	354	1.50	-
PK	5.583G	113.57	Inf	-Inf	7.70	3	Horizontal	354	1.50	-
PK	5.7294G	59.86	68.20	-8.34	8.00	3	Horizontal	354	1.50	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5580MHz\_TX




Lim.PK    
 PK    
 Lim.AV    
 AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.16624G	44.22	54.00	-9.78	16.80	3	Vertical	129	2.19	-
PK	11.17194G	56.73	74.00	-17.27	16.79	3	Vertical	129	2.19	-
PK	16.746G	61.06	68.20	-7.14	16.77	3	Vertical	360	2.85	-

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.1741G	44.17	54.00	-9.83	16.79	3	Horizontal	41	2.38	-
PK	11.14764G	56.46	74.00	-17.54	16.81	3	Horizontal	41	2.38	-
PK	16.74456G	64.94	68.20	-3.26	16.76	3	Horizontal	249	2.09	-






802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.7072G	85.76	Inf	-Inf	7.95	3	Vertical	173	1.50	-
PK	5.7028G	94.56	Inf	-Inf	7.94	3	Vertical	173	1.50	-
PK	5.7844G	60.26	68.20	-7.94	8.11	3	Vertical	173	1.50	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.6992G	101.03	Inf	-Inf	7.93	3	Horizontal	359	1.50	-
PK	5.6968G	109.89	Inf	-Inf	7.93	3	Horizontal	359	1.50	-
PK	5.7252G	66.60	68.20	-1.60	7.99	3	Horizontal	359	1.50	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5700MHz\_TX



Lim.PK    
 PK    
 Lim.AV    
 AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.3958G	43.98	54.00	-10.02	15.96	3	Vertical	345	1.64	-
PK	11.391G	56.02	74.00	-17.98	15.96	3	Vertical	345	1.64	-
PK	17.1132G	61.46	68.20	-6.74	18.54	3	Vertical	194	1.88	-



802.11a\_Nss1,(6Mbps)\_1TX(Port2)

14/03/2019

5700MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.39832G	44.67	54.00	-9.33	16.64	3	Horizontal	130	2.20	-
PK	11.39694G	56.97	74.00	-17.03	16.64	3	Horizontal	130	2.20	-
PK	17.09112G	64.91	68.20	-3.29	18.37	3	Horizontal	237	2.17	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1466G	43.41	54.00	-10.59	2.74	3	Vertical	261	2.99	-
AV	5.2636G	97.76	Inf	-Inf	2.87	3	Vertical	261	2.99	-
AV	5.4034G	42.73	54.00	-11.27	3.03	3	Vertical	261	2.99	-
PK	5.1478G	55.69	74.00	-18.31	2.74	3	Vertical	261	2.99	-
PK	5.2582G	108.95	Inf	-Inf	2.86	3	Vertical	261	2.99	-
PK	5.353G	55.22	74.00	-18.78	2.97	3	Vertical	261	2.99	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.116G	43.62	54.00	-10.38	2.70	3	Horizontal	344	1.48	-
AV	5.2588G	102.69	Inf	-Inf	2.87	3	Horizontal	344	1.48	-
AV	5.3866G	42.81	54.00	-11.19	3.01	3	Horizontal	344	1.48	-
PK	5.1286G	55.49	74.00	-18.51	2.72	3	Horizontal	344	1.48	-
PK	5.2552G	114.07	Inf	-Inf	2.86	3	Horizontal	344	1.48	-
PK	5.401G	55.44	74.00	-18.56	3.03	3	Horizontal	344	1.48	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.7761G	45.52	54.00	-8.48	12.95	3	Vertical	344	1.26	-
PK	10.52192G	62.82	68.20	-5.38	12.98	3	Vertical	160	1.50	-
PK	15.77142G	58.16	74.00	-15.84	12.97	3	Vertical	344	1.26	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.78294G	50.53	54.00	-3.47	12.91	3	Horizontal	240	1.57	-
PK	10.52498G	58.86	68.20	-9.34	12.99	3	Horizontal	324	1.50	-
PK	15.777G	63.89	74.00	-10.11	12.95	3	Horizontal	240	1.57	-






802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3028G	97.91	Inf	-Inf	2.91	3	Vertical	253	2.19	-
AV	5.35G	43.73	54.00	-10.27	2.97	3	Vertical	253	2.19	-
PK	5.3028G	108.98	Inf	-Inf	2.91	3	Vertical	253	2.19	-
PK	5.3536G	56.10	74.00	-17.90	2.97	3	Vertical	253	2.19	-

802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2964G	102.94	Inf	-Inf	2.91	3	Horizontal	346	1.00	-
AV	5.3504G	47.91	54.00	-6.09	2.97	3	Horizontal	346	1.00	-
PK	5.2968G	115.05	Inf	-Inf	2.91	3	Horizontal	346	1.00	-
PK	5.3516G	62.63	74.00	-11.37	2.97	3	Horizontal	346	1.00	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5300MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60114G	46.63	54.00	-7.37	13.15	3	Vertical	156	1.45	-
AV	15.89778G	45.60	54.00	-8.40	12.37	3	Vertical	345	1.27	-
PK	10.59634G	60.07	68.20	-8.13	13.14	3	Vertical	156	1.45	-
PK	15.89328G	58.57	74.00	-15.43	12.38	3	Vertical	345	1.27	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60048G	44.77	54.00	-9.23	13.15	3	Horizontal	300	1.49	-
AV	15.89496G	49.80	54.00	-4.20	12.38	3	Horizontal	240	1.54	-
PK	10.59976G	56.88	68.20	-11.32	13.15	3	Horizontal	300	1.49	-
PK	15.89484G	64.43	74.00	-9.57	12.38	3	Horizontal	240	1.54	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3132G	97.96	Inf	-Inf	2.93	3	Vertical	255	2.99	-
AV	5.35G	47.62	54.00	-6.38	2.97	3	Vertical	255	2.99	-
PK	5.3132G	107.50	Inf	-Inf	2.93	3	Vertical	255	2.99	-
PK	5.3534G	60.83	74.00	-13.17	2.97	3	Vertical	255	2.99	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.319G	102.75	Inf	-Inf	2.93	3	Horizontal	349	1.50	-
AV	5.35G	53.27	54.00	-0.73	2.97	3	Horizontal	349	1.50	-
PK	5.3238G	113.80	Inf	-Inf	2.94	3	Horizontal	349	1.50	-
PK	5.35G	66.83	74.00	-7.17	2.97	3	Horizontal	349	1.50	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64012G	45.49	54.00	-8.51	13.25	3	Vertical	169	1.45	-
AV	15.96666G	41.47	54.00	-12.53	12.03	3	Vertical	11	1.50	-
PK	10.64012G	58.08	74.00	-15.92	13.25	3	Vertical	169	1.45	-
PK	15.9675G	53.68	74.00	-20.32	12.03	3	Vertical	11	1.50	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5320MHz\_TX



Legend for the spectrum plot:

- Lim.PK
- PK
- Lim.AV
- AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64024G	45.86	54.00	-8.14	13.25	3	Horizontal	74	1.90	-
AV	15.95754G	47.71	54.00	-6.29	12.08	3	Horizontal	236	1.56	-
PK	10.64066G	58.78	74.00	-15.22	13.25	3	Horizontal	74	1.90	-
PK	15.95712G	60.84	74.00	-13.16	12.08	3	Horizontal	236	1.56	-






802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.4598G	48.46	54.00	-5.54	4.53	3	Vertical	237	1.50	-
AV	5.47G	53.80	Inf	-Inf	4.54	3	Vertical	237	1.50	-
AV	5.5052G	98.26	Inf	-Inf	4.59	3	Vertical	237	1.50	-
PK	5.4594G	61.81	74.00	-12.19	4.53	3	Vertical	237	1.50	-
PK	5.4698G	67.02	68.20	-1.18	4.54	3	Vertical	237	1.50	-
PK	5.5056G	108.04	Inf	-Inf	4.59	3	Vertical	237	1.50	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.4594G	48.35	54.00	-5.65	4.53	3	Horizontal	359	1.50	-
AV	5.47G	54.36	Inf	-Inf	4.54	3	Horizontal	359	1.50	-
AV	5.499G	101.10	Inf	-Inf	4.58	3	Horizontal	359	1.50	-
PK	5.459G	61.68	74.00	-12.32	4.53	3	Horizontal	359	1.50	-
PK	5.4692G	66.54	68.20	-1.66	4.54	3	Horizontal	359	1.50	-
PK	5.4982G	111.07	Inf	-Inf	4.58	3	Horizontal	359	1.50	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.00012G	45.86	54.00	-8.14	15.61	3	Vertical	93	1.81	-
PK	11.00438G	58.77	74.00	-15.23	15.60	3	Vertical	93	1.81	-
PK	16.49508G	62.08	68.20	-6.12	15.61	3	Vertical	173	1.47	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.99996G	46.05	54.00	-7.95	15.61	3	Horizontal	94	1.50	-
PK	10.99984G	60.62	74.00	-13.38	15.61	3	Horizontal	94	1.50	-
PK	16.50224G	64.47	68.20	-3.73	15.65	3	Horizontal	252	1.47	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.436G	45.48	54.00	-8.52	4.50	3	Vertical	292	1.50	-
AV	5.5812G	93.14	Inf	-Inf	4.73	3	Vertical	292	1.50	-
PK	5.4636G	57.79	68.20	-10.41	4.53	3	Vertical	292	1.50	-
PK	5.5824G	103.03	Inf	-Inf	4.74	3	Vertical	292	1.50	-
PK	5.73G	57.51	68.20	-10.69	5.09	3	Vertical	292	1.50	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.4582G	45.55	54.00	-8.45	4.52	3	Horizontal	7	1.50	-
AV	5.5788G	96.02	Inf	-Inf	4.73	3	Horizontal	7	1.50	-
PK	5.469G	57.39	68.20	-10.81	4.54	3	Horizontal	7	1.50	-
PK	5.5782G	106.19	Inf	-Inf	4.72	3	Horizontal	7	1.50	-
PK	5.7264G	58.32	68.20	-9.88	5.08	3	Horizontal	7	1.50	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5580MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.16038G	44.07	54.00	-9.93	15.43	3	Vertical	30	1.42	-
PK	11.1605G	57.53	74.00	-16.47	15.43	3	Vertical	30	1.42	-
PK	16.74186G	64.40	68.20	-3.80	16.88	3	Vertical	342	1.59	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5580MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.16027G	45.36	54.00	-8.64	15.43	3	Horizontal	82	1.50	-
PK	11.16037G	59.05	74.00	-14.95	15.43	3	Horizontal	82	1.50	-
PK	16.74216G	67.36	68.20	-0.84	16.88	3	Horizontal	246	1.35	-






802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.6968G	93.12	Inf	-Inf	5.02	3	Vertical	312	2.95	-
PK	5.6976G	103.11	Inf	-Inf	5.02	3	Vertical	312	2.95	-
PK	5.7644G	59.26	68.20	-8.94	5.17	3	Vertical	312	2.95	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment
AV	5.6968G	93.10	Inf	-Inf	5.02	3	Horizontal	18	2.96	-
PK	5.6968G	103.71	Inf	-Inf	5.02	3	Horizontal	18	2.96	-
PK	5.7252G	58.66	68.20	-9.54	5.08	3	Horizontal	18	2.96	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.39916G	43.60	54.00	-10.40	15.14	3	Vertical	139	2.21	-
PK	11.4102G	57.19	74.00	-16.81	15.14	3	Vertical	139	2.21	-
PK	17.10212G	63.87	68.20	-4.33	18.99	3	Vertical	338	1.65	-



802.11a\_Nss1,(6Mbps)\_2TX

08/03/2019

5700MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq [Hz]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Factor [dB]	Dist [m]	Condition	Azimuth [°]	Height [m]	Comments
AV	11.39964G	44.41	54.00	-9.59	15.14	3	Horizontal	286	1.50	-
PK	11.39594G	57.36	74.00	-16.64	15.14	3	Horizontal	286	1.50	-
PK	17.10192G	66.56	68.20	-1.64	18.99	3	Horizontal	254	1.87	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5260MHz\_TX



- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1496G	49.39	54.00	-4.61	7.00	3	Vertical	272	1.76	-
AV	5.257G	101.74	Inf	-Inf	7.13	3	Vertical	272	1.76	-
AV	5.3926G	49.52	54.00	-4.48	7.39	3	Vertical	272	1.76	-
PK	5.146G	61.14	74.00	-12.86	7.00	3	Vertical	272	1.76	-
PK	5.2594G	111.29	Inf	-Inf	7.14	3	Vertical	272	1.76	-
PK	5.371G	62.19	74.00	-11.81	7.34	3	Vertical	272	1.76	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5260MHz\_TX



- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.1466G	49.37	54.00	-4.63	7.00	3	Horizontal	53	1.72	-
AV	5.263G	104.11	Inf	-Inf	7.14	3	Horizontal	53	1.72	-
AV	5.3752G	49.49	54.00	-4.51	7.36	3	Horizontal	53	1.72	-
PK	5.1358G	61.08	74.00	-12.92	7.00	3	Horizontal	53	1.72	-
PK	5.2618G	114.36	Inf	-Inf	7.14	3	Horizontal	53	1.72	-
PK	5.3524G	61.51	74.00	-12.49	7.31	3	Horizontal	53	1.72	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.77274G	44.93	54.00	-9.07	14.87	3	Vertical	346	1.48	-
PK	10.52438G	63.48	68.20	-4.72	16.12	3	Vertical	120	1.55	-
PK	15.7692G	58.54	74.00	-15.46	14.88	3	Vertical	346	1.48	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.78036G	47.65	54.00	-6.35	14.85	3	Horizontal	224	2.85	-
PK	10.52432G	63.78	68.20	-4.42	16.12	3	Horizontal	66	1.50	-
PK	15.77832G	61.63	74.00	-12.37	14.86	3	Horizontal	224	2.85	-






802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2948G	99.20	Inf	-Inf	7.20	3	Vertical	272	1.69	-
AV	5.3616G	48.38	54.00	-5.62	7.33	3	Vertical	272	1.69	-
PK	5.2964G	108.33	Inf	-Inf	7.20	3	Vertical	272	1.69	-
PK	5.3856G	59.87	74.00	-14.13	7.37	3	Vertical	272	1.69	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3064G	101.24	Inf	-Inf	7.21	3	Horizontal	345	1.50	-
AV	5.3992G	48.23	54.00	-5.77	7.40	3	Horizontal	345	1.50	-
PK	5.3052G	110.27	Inf	-Inf	7.21	3	Horizontal	345	1.50	-
PK	5.3628G	60.00	74.00	-14.00	7.33	3	Horizontal	345	1.50	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5300MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.6093G	43.26	54.00	-10.74	16.26	3	Vertical	227	1.32	-
AV	15.89274G	43.91	54.00	-10.09	14.49	3	Vertical	348	1.42	-
PK	10.59124G	56.42	68.20	-11.78	16.23	3	Vertical	227	1.32	-
PK	15.9117G	58.07	74.00	-15.93	14.43	3	Vertical	348	1.42	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5300MHz\_TX



Legend for the spectrum plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.60024G	43.42	54.00	-10.58	16.24	3	Horizontal	335	1.81	-
AV	15.90054G	45.75	54.00	-8.25	14.47	3	Horizontal	223	2.85	-
PK	10.60744G	56.08	74.00	-17.92	16.26	3	Horizontal	335	1.81	-
PK	15.90174G	59.18	74.00	-14.82	14.46	3	Horizontal	223	2.85	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3142G	99.61	Inf	-Inf	7.23	3	Vertical	257	1.82	-
AV	5.35G	51.12	54.00	-2.88	7.30	3	Vertical	257	1.82	-
PK	5.3138G	108.57	Inf	-Inf	7.23	3	Vertical	257	1.82	-
PK	5.352G	62.38	74.00	-11.62	7.30	3	Vertical	257	1.82	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3254G	101.32	Inf	-Inf	7.26	3	Horizontal	349	1.49	-
AV	5.35G	51.12	54.00	-2.88	7.30	3	Horizontal	349	1.49	-
PK	5.3254G	110.71	Inf	-Inf	7.26	3	Horizontal	349	1.49	-
PK	5.3516G	62.59	74.00	-11.41	7.30	3	Horizontal	349	1.49	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.63496G	43.11	54.00	-10.89	16.30	3	Vertical	205	1.76	-
AV	15.95154G	43.52	54.00	-10.48	14.30	3	Vertical	351	1.34	-
PK	10.6352G	55.18	74.00	-18.82	16.30	3	Vertical	205	1.76	-
PK	15.95682G	57.36	74.00	-16.64	14.29	3	Vertical	351	1.34	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5320MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.64636G	43.16	54.00	-10.84	16.32	3	Horizontal	77	1.96	-
AV	15.96042G	44.46	54.00	-9.54	14.28	3	Horizontal	240	1.51	-
PK	10.64162G	55.30	74.00	-18.70	16.31	3	Horizontal	77	1.96	-
PK	15.95754G	58.73	74.00	-15.27	14.29	3	Horizontal	240	1.51	-






802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4596G	50.43	54.00	-3.57	7.49	3	Vertical	284	1.74	-
AV	5.4968G	100.42	Inf	-Inf	7.54	3	Vertical	284	1.74	-
PK	5.4574G	61.97	74.00	-12.03	7.48	3	Vertical	284	1.74	-
PK	5.4696G	66.79	68.20	-1.41	7.50	3	Vertical	284	1.74	-
PK	5.4992G	109.97	Inf	-Inf	7.54	3	Vertical	284	1.74	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.454G	48.76	54.00	-5.24	7.48	3	Horizontal	353	1.12	-
AV	5.508G	102.62	Inf	-Inf	7.56	3	Horizontal	353	1.12	-
PK	5.4576G	61.06	74.00	-12.94	7.48	3	Horizontal	353	1.12	-
PK	5.4698G	67.60	68.20	-0.60	7.50	3	Horizontal	353	1.12	-
PK	5.5076G	111.71	Inf	-Inf	7.56	3	Horizontal	353	1.12	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.99574G	44.47	54.00	-9.53	16.90	3	Vertical	296	2.36	-
PK	11.00996G	56.87	74.00	-17.13	16.91	3	Vertical	296	2.36	-
PK	16.49838G	59.00	68.20	-9.20	15.89	3	Vertical	49	2.05	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.99244G	44.49	54.00	-9.51	16.90	3	Horizontal	66	1.65	-
PK	10.9937G	56.47	74.00	-17.53	16.90	3	Horizontal	66	1.65	-
PK	16.50366G	59.17	68.20	-9.03	15.92	3	Horizontal	305	1.60	-

802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5580MHz\_TX



- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.43G	48.25	54.00	-5.75	7.44	3	Vertical	269	1.72	-
AV	5.574G	101.56	Inf	-Inf	7.67	3	Vertical	269	1.72	-
PK	5.4642G	59.40	68.20	-8.80	7.49	3	Vertical	269	1.72	-
PK	5.5794G	110.62	Inf	-Inf	7.69	3	Vertical	269	1.72	-
PK	5.7288G	59.97	68.20	-8.23	8.00	3	Vertical	269	1.72	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4408G	47.94	54.00	-6.06	7.45	3	Horizontal	0	1.35	-
AV	5.5866G	102.38	Inf	-Inf	7.69	3	Horizontal	0	1.35	-
PK	5.4642G	59.34	68.20	-8.86	7.49	3	Horizontal	0	1.35	-
PK	5.5854G	111.60	Inf	-Inf	7.69	3	Horizontal	0	1.35	-
PK	5.7288G	60.22	68.20	-7.98	8.00	3	Horizontal	0	1.35	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.15532G	44.24	54.00	-9.76	16.80	3	Vertical	277	1.57	-
PK	11.16354G	56.54	74.00	-17.46	16.80	3	Vertical	277	1.57	-
PK	16.73154G	61.33	68.20	-6.87	16.72	3	Vertical	46	2.76	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.15706G	44.26	54.00	-9.74	16.80	3	Horizontal	162	1.58	-
PK	11.15316G	56.34	74.00	-17.66	16.81	3	Horizontal	162	1.58	-
PK	16.7442G	61.93	68.20	-6.27	16.76	3	Horizontal	248	2.70	-






802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.7032G	100.07	Inf	-Inf	7.94	3	Vertical	297	1.80	-
PK	5.7016G	109.90	Inf	-Inf	7.94	3	Vertical	297	1.80	-
PK	5.726G	64.27	68.20	-3.93	7.99	3	Vertical	297	1.80	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.704G	100.26	Inf	-Inf	7.95	3	Horizontal	15	1.88	-
PK	5.704G	109.84	Inf	-Inf	7.95	3	Horizontal	15	1.88	-
PK	5.7256G	67.32	68.20	-0.88	7.99	3	Horizontal	15	1.88	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5700MHz\_TX



Lim.PK  
 PK  
 Lim.AV  
 AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.39796G	44.01	54.00	-9.99	16.64	3	Vertical	71	1.41	-
PK	11.40258G	56.11	74.00	-17.89	16.64	3	Vertical	71	1.41	-
PK	17.10024G	61.36	68.20	-6.84	18.44	3	Vertical	122	1.50	-



802.11ac VHT20\_Nss1,(MCS0)\_2TX

14/03/2019

5700MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.3976G	44.12	54.00	-9.88	16.64	3	Horizontal	291	2.34	-
PK	11.40408G	56.31	74.00	-17.69	16.63	3	Horizontal	291	2.34	-
PK	17.10006G	62.76	68.20	-5.44	18.44	3	Horizontal	240	2.63	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

14/03/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2616G	98.09	Inf	-Inf	7.14	3	Vertical	245	1.84	-
AV	5.35G	49.15	54.00	-4.85	7.30	3	Vertical	245	1.84	-
PK	5.2612G	106.69	Inf	-Inf	7.14	3	Vertical	245	1.84	-
PK	5.3628G	60.28	74.00	-13.72	7.33	3	Vertical	245	1.84	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

14/03/2019

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.2592G	100.19	Inf	-Inf	7.14	3	Horizontal	344	1.43	-
AV	5.3548G	48.77	54.00	-5.23	7.31	3	Horizontal	344	1.43	-
PK	5.2588G	108.64	Inf	-Inf	7.14	3	Horizontal	344	1.43	-
PK	5.3508G	59.40	74.00	-14.60	7.30	3	Horizontal	344	1.43	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

14/03/2019

5270MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.8031G	44.65	54.00	-9.35	14.78	3	Vertical	360	2.59	-
PK	10.53034G	56.06	68.20	-12.14	16.13	3	Vertical	12	1.26	-
PK	15.81264G	57.93	74.00	-16.07	14.74	3	Vertical	360	2.59	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

14/03/2019

5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	15.80922G	46.38	54.00	-7.62	14.76	3	Horizontal	250	2.18	-
PK	10.53706G	55.53	68.20	-12.67	16.14	3	Horizontal	313	1.72	-
PK	15.81108G	59.14	74.00	-14.86	14.75	3	Horizontal	250	2.18	-






802.11ac VHT40\_Nss1,(MCS0)\_2TX

15/03/2019

5310MHz\_TX



Legend for the spectrum plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3024G	95.97	Inf	-Inf	7.21	3	Vertical	257	1.83	-
AV	5.3508G	53.75	54.00	-0.25	7.30	3	Vertical	257	1.83	-
PK	5.302G	104.29	Inf	-Inf	7.21	3	Vertical	257	1.83	-
PK	5.35G	66.27	74.00	-7.73	7.30	3	Vertical	257	1.83	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

15/03/2019

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.3184G	98.35	Inf	-Inf	7.24	3	Horizontal	348	1.30	-
AV	5.354G	53.03	54.00	-0.97	7.31	3	Horizontal	348	1.30	-
PK	5.318G	106.57	Inf	-Inf	7.24	3	Horizontal	348	1.30	-
PK	5.3548G	65.54	74.00	-8.46	7.31	3	Horizontal	348	1.30	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

15/03/2019

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.61352G	43.80	54.00	-10.20	16.27	3	Vertical	103	1.45	-
AV	15.91752G	43.88	54.00	-10.12	14.42	3	Vertical	247	1.59	-
PK	10.63374G	55.64	74.00	-18.36	16.30	3	Vertical	103	1.45	-
PK	15.94374G	57.13	74.00	-16.87	14.33	3	Vertical	247	1.59	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

15/03/2019

5310MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	10.62018G	44.08	54.00	-9.92	16.28	3	Horizontal	249	2.36	-
AV	15.92178G	44.49	54.00	-9.51	14.40	3	Horizontal	226	2.69	-
PK	10.60698G	56.53	74.00	-17.47	16.26	3	Horizontal	249	2.36	-
PK	15.91986G	57.63	74.00	-16.37	14.41	3	Horizontal	226	2.69	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

15/03/2019

5510MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.46G	50.26	54.00	-3.74	7.49	3	Vertical	285	1.78	-
AV	5.5188G	95.99	Inf	-Inf	7.57	3	Vertical	285	1.78	-
PK	5.4596G	61.39	74.00	-12.61	7.49	3	Vertical	285	1.78	-
PK	5.4696G	66.86	68.20	-1.34	7.50	3	Vertical	285	1.78	-
PK	5.5212G	104.30	Inf	-Inf	7.57	3	Vertical	285	1.78	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

15/03/2019

5510MHz\_TX



Legend for plot:

- Lim.PK
- PK
- Lim.AV
- AV


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.46G	52.68	54.00	-1.32	7.49	3	Horizontal	357	1.31	-
AV	5.518G	98.22	Inf	-Inf	7.57	3	Horizontal	357	1.31	-
PK	5.46G	63.10	74.00	-10.90	7.49	3	Horizontal	357	1.31	-
PK	5.4696G	66.51	68.20	-1.69	7.50	3	Horizontal	357	1.31	-
PK	5.5176G	106.68	Inf	-Inf	7.56	3	Horizontal	357	1.31	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

15/03/2019

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.01928G	45.04	54.00	-8.96	16.89	3	Vertical	258	1.92	-
PK	11.02144G	56.89	74.00	-17.11	16.89	3	Vertical	258	1.92	-
PK	16.5282G	58.98	68.20	-9.22	16.01	3	Vertical	176	1.50	-



802.11ac VHT40\_Nss1,(MCS0)\_2TX

15/03/2019

5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	11.0095G	44.92	54.00	-9.08	16.91	3	Horizontal	55	2.43	-
PK	11.02738G	56.84	74.00	-17.16	16.89	3	Horizontal	55	2.43	-
PK	16.53018G	58.96	68.20	-9.24	16.01	3	Horizontal	179	1.50	-






802.11ac VHT40\_Nss1,(MCS0)\_2TX

15/03/2019

5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	5.4588G	49.16	54.00	-4.84	7.49	3	Vertical	272	1.67	-
AV	5.5432G	99.04	Inf	-Inf	7.62	3	Vertical	272	1.67	-
PK	5.4636G	60.64	68.20	-7.56	7.49	3	Vertical	272	1.67	-
PK	5.5456G	107.56	Inf	-Inf	7.62	3	Vertical	272	1.67	-