

# FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for  
**Intelsat License LLC**  
**HAGERSTOWN, MD**  
**E000296**  
**Satellite Earth Station**

Prepared By:  
COMSEARCH  
19700 Janelia Farm Boulevard  
Ashburn, VA 20147  
August 21, 2017

## TABLE OF CONTENTS

|  |    |
|--|----|
| 1. CONCLUSIONS .....                     | 3  |
| 2. SUMMARY OF RESULTS .....              | 4  |
| 3. SUPPLEMENTAL SHOWING .....            | 5  |
| 4. EARTH STATION COORDINATION DATA ..... | 9  |
| 5. CERTIFICATION .....                   | 13 |

## **1. CONCLUSIONS**

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

## 2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case.

### 3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 07/13/2017.

Company

256Q Networks  
AB Services LLC  
AT&T Communications of Virginia, LLC  
AT&T Corp.  
AT&T Wireless Services 3 LLC - PA  
AWC Networks  
Adams County Department of Emergency Svc  
Affiniti PA, LLC  
Albermarle, County of, Virginia  
Alltel Communications LLC-E OH WV  
American Electric Power Service Corp  
Appalachia Engineering Services  
Appalachian Power Company  
Aratika LLC  
Argos Engineering, LLC  
Atlantic Broadband (Penn), LLC  
Atlantic City Electric Company  
Atlantic, County of  
Baltimore County of Maryland  
Baltimore Gas and Electric Company  
Beaver Springs Faith Baptist Church, Inc  
Bedford County of  
Believe Wireless, LLC  
Berks County Department of Emergency Ser  
Blair County 911  
Blue Ridge Carriers  
Blueline Communications  
CNG Transmission Corporation  
Calvert, County of  
Cambria, County of  
Capital Communications of America  
Caroline County, VA  
Carroll, County of  
Cellco Partnership - Bridgeville, PA/WV  
Cellco Partnership - Southern Virginia  
Cellco Partnership- PA Region  
Cellco Partnership-WDC/Baltimore  
Cellco Prtnrshp - Phil. Tri-State Rgn  
Centre Communications Inc.  
Centre, County of

Charles, County of  
Chester, County of  
City of Fredericksburg  
Citynet  
Clearfield, County of  
Clinton, County of  
Columbia Gas Transmission, LLC  
Columbia, County  
Commonwealth of Pennsylvania  
Commonwealth of Pennsylvania-Radio Proj.  
Comprehensive Wireless LLC  
Conterra Ultra Broadband, LLC  
Coralinks  
County of Augusta  
County of Camden  
County of Culpeper  
County of Fayette  
County of Frederick  
County of Lycoming  
County of York  
DSRC Networks  
Dauphin County Emergency Management  
Delaware County (PA) Emergency Services  
Delaware Division of Communications  
Delmarva Broadcasting Company  
Delmarva Power and Light Company  
Dominion Energy Transmission, Inc.  
ECW Wireless, LLC  
Eastern MLG LLC  
Electric Railroad, LLC  
Enoch Pratt Free Library  
Essex, County of  
Exelon Generation Company, LLC  
FELHC, Inc.  
Frederick County  
Fulton County of (PA)  
Fundamental Broadcasting LLC  
Garden State Transmissions  
Getwireless.Net  
Gloucester, County of  
Great Scott Broadcasting  
Greene, County of (PA)  
Hanover, County of  
Hardy Cellular Telephone Company  
Hardy County OEM/E911  
Harrisonburg-Rockingham ECC  
High Voltage Communications LLC (CFN)  
Huntingdon County, Pa  
Indiana, County of  
Jackson County West Virginia  
Jefferson County of Pennsylvania  
Jefferson Microwave, LLC  
Juniata County Emergency Services  
King and Queen County  
Kryptick Technologies  
Lancaster County-Wide Communications

Limitless Mobile, LLC  
Loudoun, County of  
MGW Networks, LLC  
MVC Research. LLC  
Maryland Public Broadcasting Commission  
Maryland State Highway Administration  
Maryland, State of - Dept.of Info & Tech  
Montgomery County Of  
Montgomery, County of  
National Tower Company II, LLC  
National Tower Company LLC  
New Cingular Wireless PCS LLC - NJ  
New Cingular Wireless PCS - Maryland  
New Cingular Wireless PCS LLC - DC  
New Cingular Wireless PCS LLC - VA  
New Cingular Wireless PCS LLC - WV,NC,SC  
New Cingular Wireless PCS LLC-DE/NH/RI  
New Cingular Wireless PCS, LLC - PA  
New Jersey Turnpike Authority-Pkwy Div  
New Jersey, State of -NJ Transit  
New Line Networks, LLC  
Norfolk Southern Railway  
Northumberland County DPS/911  
Old Dominion LLC  
PA Communications  
PSEG Services Corporation  
Peco Energy Company  
Pennsylvania Turnpike Commission  
Peoples Natural Gas Company LLC  
Pepco Holdings Inc.  
Perry, County of  
Perseus Technology Holdings USA Inc.  
Pittsburgh SMSA Limited Partnership  
Preston County Office of Emergency Manag  
Prince George's County  
Prince William, County of  
Radio One Inc  
Rappahannock Electric Cooperative  
Rockbridge Reg. Pub Safety Comm Ctr  
Rural Broadband Network Services LLC  
SCS Networks  
SW Networks  
Shenandoah Personal Communications, LLC  
Shenandoah Valley Electric Cooperative  
Somerset, County of  
South Central Task Force (SCTFNET)  
Southern Maryland Electric Cooperative I  
Spotsylvania, County of  
St. Mary's County of (MD)  
Stafford, County of  
State of Maryland, MIEMSS  
T-Mobile License LLC  
Texas Eastern Communications, LLC  
Thought Transmissions, LLC  
Torellco LLC  
Transcontinental Gas Pipeline Corp.

US Cellular Operating Company, LLC (WI)  
USCOC of Cumberland, Inc.  
USCOC of Virginia RSA #3, Inc.  
USOC of Pennsylvania RSA No 10 B2 Inc.  
Uniti Fiber PEG, LLC  
Verizon Maryland, Inc.  
Verizon Wireless (VAW) LLC - Maryland  
Verizon Wireless (VAW) LLC - W/B/V Mkts  
Verizon Wireless (VAW) LLC-Pennsylvania  
Verizon Wireless VAW LLC - West Virginia  
Verizon Wireless VAW LLC-Southern VA  
Virginia Broadband, LLC  
Virginia Department of State Police  
Virginia Electric & Power Company  
WV DHHR BPH, Office of Ems, Com. Div.  
Warrenton Fauquier Joint Communications  
Washington Gas Light Company  
Washington Suburban Sanitary Commission  
Washington, County of  
Weblin Holdings LLC  
Westmoreland, County of  
Wicomico County  
Wireless Internetwork LLC  
World Class Wireless, LLC  
YAB Mobile  
iSignal  
xWave Engineering LLC



## **4. EARTH STATION COORDINATION DATA**

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

Date: 08/21/2017  
Job Number: 170713COMSGE06

---

### Administrative Information

Status ENGINEER PROPOSAL  
Call Sign E000296  
Licensee Code INTELS  
Licensee Name Intelsat License LLC

---

### Site Information HAGERSTOWN, MD

Venue Name  
Latitude (NAD 83) 39° 35' 54.0" N  
Longitude (NAD 83) 77° 45' 35.0" W  
Climate Zone A  
Rain Zone 2  
Ground Elevation (AMSL) 173.74 m / 570.0 ft

---

### Link Information

Satellite Type Geostationary  
Mode TO - Transmit-Only  
Modulation Digital  
Satellite Arc 6° W to 149° West Longitude  
Azimuth Range 101.9° to 257.8°  
Corresponding Elevation Angles 5.3° / 5.7°  
Antenna Centerline (AGL) 5.79 m / 19.0 ft

---

### Antenna Information Transmit - FCC32

Manufacturer GD Satcom  
Model 9 meter  
Gain / Diameter 53.5 dBi / 9.0 m  
3-dB / 15-dB Beamwidth 0.36° / 0.67°

Max Available RF Power (dBW/4 kHz) 4.5  
(dBW/MHz) 28.5

Maximum EIRP (dBW/4 kHz) 58.0  
(dBW/MHz) 82.0

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%  
Short Term -131.0 dBW/4 kHz 0.0025%

---

### Frequency Information Transmit 6.1 GHz

Emission / Frequency Range (MHz) 850KFXD / 6173.7  
850KFXD / 6176.3

Max Great Circle Coordination Distance 475.4 km / 295.4 mi  
Precipitation Scatter Contour Radius 328.0 km / 203.8 mi

# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

---

| Coordination Values                |  | HAGERSTOWN, MD           |
|------------------------------------|--|--------------------------|
| Licensee Name                      |  | Intelsat License LLC     |
| Latitude (NAD 83)                  |  | 39° 35' 54.0" N          |
| Longitude (NAD 83)                 |  | 77° 45' 35.0" W          |
| Ground Elevation (AMSL)            |  | 173.74 m / 570.0 ft      |
| Antenna Centerline (AGL)           |  | 5.79 m / 19.0 ft         |
| Antenna Model                      |  | GD Satcom 9 meter        |
| Antenna Mode                       |  | Transmit 6.1 GHz         |
| Interference Objectives: Long Term |  | -154.0 dBW/4 kHz 20%     |
| Short Term                         |  | -131.0 dBW/4 kHz 0.0025% |
| Max Available RF Power             |  | 4.5 (dBW/4 kHz)          |

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 6.1 GHz   |                            |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
|             |                       |                            | Horizon Gain (dBi) | Coordination Distance (km) |
| 0           | 0.00                  | 101.81                     | -10.00             | 198.42                     |
| 5           | 0.00                  | 96.84                      | -10.00             | 198.42                     |
| 10          | 0.00                  | 91.86                      | -10.00             | 198.42                     |
| 15          | 0.00                  | 86.88                      | -10.00             | 198.42                     |
| 20          | 0.00                  | 81.90                      | -10.00             | 198.42                     |
| 25          | 0.00                  | 76.92                      | -10.00             | 198.42                     |
| 30          | 0.00                  | 71.95                      | -10.00             | 198.42                     |
| 35          | 0.00                  | 66.97                      | -10.00             | 198.42                     |
| 40          | 0.00                  | 62.00                      | -10.00             | 198.42                     |
| 45          | 0.00                  | 57.03                      | -10.00             | 198.42                     |
| 50          | 0.00                  | 52.06                      | -10.00             | 198.42                     |
| 55          | 0.00                  | 47.09                      | -9.82              | 199.09                     |
| 60          | 0.00                  | 42.14                      | -8.62              | 203.70                     |
| 65          | 0.00                  | 37.19                      | -7.26              | 207.26                     |
| 70          | 0.00                  | 32.26                      | -5.72              | 213.41                     |
| 75          | 0.00                  | 27.34                      | -3.92              | 220.90                     |
| 80          | 0.00                  | 22.47                      | -1.79              | 230.32                     |
| 85          | 0.00                  | 17.65                      | 0.83               | 242.62                     |
| 90          | 0.00                  | 12.98                      | 4.17               | 259.01                     |
| 95          | 0.00                  | 8.66                       | 8.56               | 284.19                     |
| 100         | 0.00                  | 5.61                       | 13.27              | 475.43                     |
| 105         | 0.00                  | 6.15                       | 12.28              | 347.23                     |
| 110         | 0.00                  | 9.60                       | 7.45               | 277.50                     |
| 115         | 0.00                  | 13.27                      | 3.93               | 257.71                     |
| 120         | 0.00                  | 16.89                      | 1.31               | 244.96                     |
| 125         | 0.00                  | 20.41                      | -0.75              | 235.11                     |
| 130         | 0.00                  | 23.83                      | -2.43              | 227.44                     |
| 135         | 0.00                  | 27.11                      | -3.83              | 221.30                     |
| 140         | 0.00                  | 30.23                      | -5.01              | 216.31                     |
| 145         | 0.00                  | 33.14                      | -6.01              | 212.22                     |
| 150         | 0.00                  | 35.82                      | -6.85              | 208.86                     |
| 155         | 0.00                  | 38.20                      | -7.55              | 206.13                     |
| 160         | 0.00                  | 40.26                      | -8.12              | 205.58                     |
| 165         | 0.00                  | 41.93                      | -8.56              | 203.90                     |
| 170         | 0.00                  | 43.16                      | -8.88              | 202.70                     |
| 175         | 0.00                  | 43.92                      | -9.07              | 201.98                     |
| 180         | 0.00                  | 44.18                      | -9.13              | 201.74                     |
| 185         | 0.00                  | 43.92                      | -9.07              | 201.98                     |

# COMSEARCH

## Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147  
(703)726-5500 <http://www.comsearch.com>

### Coordination Values

### HAGERSTOWN, MD

Licensee Name Intelsat License LLC  
Latitude (NAD 83) 39° 35' 54.0" N  
Longitude (NAD 83) 77° 45' 35.0" W  
Ground Elevation (AMSL) 173.74 m / 570.0 ft  
Antenna Centerline (AGL) 5.79 m / 19.0 ft  
Antenna Model GD Satcom 9 meter  
Antenna Mode Transmit 6.1 GHz  
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%  
Short Term -131.0 dBW/4 kHz 0.0025%  
Max Available RF Power 4.5 (dBW/4 kHz)

| Azimuth (°) | Horizon Elevation (°) | Antenna Discrimination (°) | Transmit 6.1 GHz   |                            |
|-------------|-----------------------|----------------------------|--------------------|----------------------------|
|             |                       |                            | Horizon Gain (dBi) | Coordination Distance (km) |
| 190         | 0.00                  | 43.16                      | -8.88              | 202.70                     |
| 195         | 0.00                  | 41.93                      | -8.56              | 203.90                     |
| 200         | 0.00                  | 40.26                      | -8.12              | 205.58                     |
| 205         | 0.00                  | 38.20                      | -7.55              | 206.13                     |
| 210         | 0.00                  | 35.81                      | -6.85              | 208.86                     |
| 215         | 0.00                  | 33.14                      | -6.01              | 212.22                     |
| 220         | 0.00                  | 30.22                      | -5.01              | 216.31                     |
| 225         | 0.00                  | 27.11                      | -3.83              | 221.30                     |
| 230         | 0.00                  | 23.83                      | -2.43              | 227.43                     |
| 235         | 0.00                  | 20.42                      | -0.75              | 235.10                     |
| 240         | 0.00                  | 16.89                      | 1.31               | 244.98                     |
| 245         | 0.00                  | 13.28                      | 3.92               | 257.69                     |
| 250         | 0.00                  | 9.59                       | 7.46               | 277.57                     |
| 255         | 0.00                  | 6.33                       | 11.96              | 353.95                     |
| 260         | 0.00                  | 6.11                       | 12.35              | 458.19                     |
| 265         | 0.00                  | 9.18                       | 7.93               | 280.36                     |
| 270         | 0.00                  | 13.46                      | 3.77               | 256.89                     |
| 275         | 0.00                  | 18.11                      | 0.55               | 241.29                     |
| 280         | 0.00                  | 22.90                      | -2.00              | 229.38                     |
| 285         | 0.00                  | 27.76                      | -4.09              | 220.20                     |
| 290         | 0.00                  | 32.66                      | -5.85              | 212.85                     |
| 295         | 0.00                  | 37.59                      | -7.38              | 206.81                     |
| 300         | 0.00                  | 42.53                      | -8.72              | 203.31                     |
| 305         | 0.00                  | 47.48                      | -9.91              | 198.76                     |
| 310         | 0.00                  | 52.44                      | -10.00             | 198.42                     |
| 315         | 0.00                  | 57.40                      | -10.00             | 198.42                     |
| 320         | 0.00                  | 62.37                      | -10.00             | 198.42                     |
| 325         | 0.00                  | 67.34                      | -10.00             | 198.42                     |
| 330         | 0.00                  | 72.31                      | -10.00             | 198.42                     |
| 335         | 0.00                  | 77.28                      | -10.00             | 198.42                     |
| 340         | 0.00                  | 82.26                      | -10.00             | 198.42                     |
| 345         | 0.00                  | 87.23                      | -10.00             | 198.42                     |
| 350         | 0.00                  | 92.21                      | -10.00             | 198.42                     |
| 355         | 0.00                  | 97.18                      | -10.00             | 198.42                     |

## 5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards  
Senior Manager  
COMSEARCH  
19700 Janelia Farm Boulevard  
Ashburn, VA 20147

DATED: August 21, 2017