

FREQUENCY COORDINATION AND INTERFERENCE ANALYSIS REPORT

Prepared for
Universal Space Network, Inc.
CLEWISTON, FL
Satellite Earth Station

Prepared By:
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147
April 09, 2018

TABLE OF CONTENTS

1. CONCLUSIONS	3
2. SUMMARY OF RESULTS	4
3. SUPPLEMENTAL SHOWING	5
4. EARTH STATION COORDINATION DATA.....	8
5. CERTIFICATION.....	12

1. CONCLUSIONS

An interference study considering all existing, proposed and prior coordinated microwave facilities within the coordination contours of the proposed earth station demonstrates that this site will operate satisfactorily with the common carrier microwave environment. Further, there will be no restrictions of its operation due to interference considerations.

2. SUMMARY OF RESULTS

A number of great circle interference cases were identified during the interference study of the proposed earth station. Each of the cases, which exceeded the interference objective on a line-of-sight basis, was profiled and the propagation losses estimated using NBS TN101 (Revised) techniques. The losses were found to be sufficient to reduce the signal levels to acceptable magnitudes in every case when considering terrain loss and frequency offsets, based on the limited discreet frequencies that will be used for occasional launch support.

3. SUPPLEMENTAL SHOWING

Pursuant to Part 25.203(c) of the FCC Rules and Regulations, the satellite earth station proposed in this application was coordinated by Comsearch using computer techniques and in accordance with Part 25 of the FCC Rules and Regulations.

Coordination data for this earth station was sent to the below listed carriers with a letter dated 02/22/2018.

Company

3G Wireless, LLC
AERIAL VIDEO SYSTEMS
Alascom Inc
Ascent Media Network Services, LLC
Bellsouth Telecommunications, Inc.
Borgeson, Tom R.
Bright House Networks, LLC
Broadcast Sports Inc.
CBS Television Stations
Carolina Telephone and Telegraph Co
Casper, John
Cbs Operations Inc.
CenturyTel of the Southwest, Inc.
Chicago Comnet Corp
Cincinnati Bell Wireless LLC
Citywide News Network, Inc.
Cohen, Elena
Cowboys Stadium LP
DCI II, INC.
Direct Broadcast Services, Inc.
Florida West Coast Public Broadcasting I
Fort Myers Broadcasting Company
Fox Television Stations, LLC
Frontier California Inc.
Global Telecom & Technology Americas, In
Goodyear Tire & Rubber Company
Graham Media Group, Orlando, Inc
Gray Television Licensee, LLC
HF Enterprises, Inc
Hallco Unlimited, Inc.
Hawaiian Telcom, Inc.
Hearst Properties Inc.
Heiden, William
Illinois Bell Telephone Company
Indiana Bell Telephone Company
Information & Display Systems, Inc.
Information Super Station, LLC
International Communications Group, Inc.
Kentucky RSA #3 Cellular General Partner
Kentucky RSA #4 Cellular General Partner
MERCURY COMMUNICATIONS

Mapale LLC
Michigan Bell Telephone Company
Montclair Communications Inc.
Moreen, Steven K
NBC Telemundo License LLC
NEW ENGLAND DIGITAL DISTRIBUTION, INC.
NEW ENGLAND SATELLITE SYSTEMS INC
NEXSTAR BROADCASTING, INC.
NSM Surveillance
Navajo Communications Company
New World Communications of Tampa, Inc.
NorthWest Suburbs Community Access Corp
Ohio Bell GTelephone Company
Onboard Images
Orlando Hearst Television, Inc.
Pacific Bell Tel Com dba AT&T California
Pacific and Southern, LLC
Penn Service Microwave Co., Inc.
Plateau Telecommunications, Inc.
Plum TV, LLC
Production & Satellite Services, Inc.
Quick Link Connections Inc.
Qwest Corporation
RCC Minnesota Inc. - MN NE ND SD
REMOTE FACILITIES CONSULTING SERVICES
RF Central, LLC
RF Film, Inc
Radiofone, Inc.
Randy Hermes Production
Remote Broadcasts, Inc.
SBE Coordinator
School Board of Broward County
Scripps Broadcasting Holdings, LLC
Scripps Media, Inc. - WPTV
Southwestern Bell Telephone L.P.
Speedshotz, Inc
Sunbeam Television Corp.
TTWN Networks, LLC
The School Board of Miami Dade (WLRN-FM)
Unisat, Inc.
United Telephone - Southeast
VERIZON SOUTH INC.
Verizon Maryland, Inc.
Verizon New England Inc.
Verizon New Jersey, Inc.
Verizon New York, Inc.
Verizon North Inc.
Verizon Northwest Inc.
Verizon Pennsylvania, Inc.
Verizon Virginia, Inc.
Verizon Washington DC, Inc.
Village Video Productions Inc
Vyvx, LLC
WFLX License Subsidiary, LLC
WFTV, Inc.
WLTV License Partnership, G.P.

WPEC Licensee, LLC
WPLG, Inc.
WSFL, LLC
WTVX Licensee, LLC
WWSB License Subsidiary, LLC
Waterman Broadcasting Corp of Florida
Westar Satellite Services LP
Western Technical Services
Wexler Video, Inc.
Winged Vision Inc
Wisconsin Bell Telephone Company
Wolfe Air Aviation

4. EARTH STATION COORDINATION DATA

This section presents the data pertinent to frequency coordination of the proposed earth station that was circulated to all carriers within its coordination contours.

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Date: 04/09/2018
Job Number: 180222COMSGE01

Administrative Information

Status ENGINEER PROPOSAL
Call Sign E110171
Licensee Code UNSPNE
Licensee Name Universal Space Network, Inc.

Site Information CLEWISTON, FL

Venue Name
Latitude (NAD 83) 26° 44' 50.2" N
Longitude (NAD 83) 81° 2' 56.7" W
Climate Zone B
Rain Zone 1
Ground Elevation (AMSL) 5.49 m / 18.0 ft

Link Information

Satellite Type Low Earth Orbit
Mode TO - Transmit-Only
Modulation Digital
Minimum Elevation Angle 5.0°
Azimuth Range 0.0° to 360°
Antenna Centerline (AGL) 6.1 m / 20.0 ft

Antenna Information Transmit - FCC32

Manufacturer V1aSat
Model 3440
Gain / Diameter 43.0 dBi / 9.1 m
3-dB / 15-dB Beamwidth 1.20° / 2.30°

Max Available RF Power (dBW/4 kHz) -14.1
(dBW/MHz) 9.9

Maximum EIRP (dBW/4 kHz) 28.9
(dBW/MHz) 52.9

Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%

Frequency Information Transmit 2.0 GHz

Emission / Frequency Range (MHz) 1M32G1D / 2092.6
1M32G1D / 2085.6875
1M32G1D / 2052.0

Max Great Circle Coordination Distance 326.3 km / 202.7 mi
Precipitation Scatter Contour Radius 100.0 km / 62.1 mi

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values

CLEWISTON, FL

Licensee Name Universal Space Network, Inc.
Latitude (NAD 83) 26° 44' 50.2" N
Longitude (NAD 83) 81° 2' 56.7" W
Ground Elevation (AMSL) 5.49 m / 18.0 ft
Antenna Centerline (AGL) 6.1 m / 20.0 ft
Antenna Model ViaSat 9.1 meter
Antenna Mode Transmit 2.0 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -14.1 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
0	0.00	94.06	9.00	326.30
5	0.00	89.06	9.00	326.30
10	0.00	84.06	9.00	326.30
15	0.00	79.06	9.00	326.30
20	0.00	74.06	9.00	326.30
25	0.00	69.06	9.00	326.30
30	0.00	64.06	9.00	326.30
35	0.00	59.06	9.00	326.30
40	0.00	54.06	9.00	326.30
45	0.00	49.06	9.00	326.30
50	0.00	44.06	9.00	326.30
55	0.00	39.06	9.00	326.30
60	0.00	34.06	9.00	326.30
65	0.00	29.06	9.00	326.30
70	0.00	24.07	9.00	326.30
75	0.00	19.07	9.00	326.30
80	0.00	14.07	9.00	326.30
85	0.00	9.08	9.00	326.30
90	0.00	4.12	9.00	326.30
95	0.00	1.18	9.00	326.30
100	0.00	5.99	9.00	326.30
105	0.00	10.97	9.00	326.30
110	0.00	15.96	9.00	326.30
115	0.00	20.95	9.00	326.30
120	0.00	25.95	9.00	326.30
125	0.00	30.95	9.00	326.30
130	0.00	35.95	9.00	326.30
135	0.00	40.95	9.00	326.30
140	0.00	45.95	9.00	326.30
145	0.00	50.95	9.00	326.30
150	0.00	55.95	9.00	326.30
155	0.00	60.95	9.00	326.30
160	0.00	65.95	9.00	326.30
165	0.00	70.94	9.00	326.30
170	0.00	75.94	9.00	326.30
175	0.00	80.94	9.00	326.30
180	0.00	85.94	9.00	326.30
185	0.00	90.94	9.00	326.30

COMSEARCH

Earth Station Data Sheet

19700 Janelia Farm Boulevard, Ashburn, VA 20147
(703)726-5500 <http://www.comsearch.com>

Coordination Values


CLEWISTON, FL

Licensee Name Universal Space Network, Inc.
Latitude (NAD 83) 26° 44' 50.2" N
Longitude (NAD 83) 81° 2' 56.7" W
Ground Elevation (AMSL) 5.49 m / 18.0 ft
Antenna Centerline (AGL) 6.1 m / 20.0 ft
Antenna Model ViaSat 9.1 meter
Antenna Mode Transmit 2.0 GHz
Interference Objectives: Long Term -154.0 dBW/4 kHz 20%
Short Term -131.0 dBW/4 kHz 0.0025%
Max Available RF Power -14.1 (dBW/4 kHz)

Azimuth (°)	Horizon Elevation (°)	Antenna Discrimination (°)	Transmit 2.0 GHz	
			Horizon Gain (dBi)	Coordination Distance (km)
190	0.00	95.94	9.00	326.30
195	0.00	100.94	9.00	326.30
200	0.00	105.94	9.00	326.30
205	0.00	110.94	9.00	326.30
210	0.00	115.94	9.00	326.30
215	0.00	120.94	9.00	326.30
220	0.00	125.94	9.00	326.30
225	0.00	130.94	9.00	326.30
230	0.00	135.94	9.00	326.30
235	0.00	140.94	9.00	326.30
240	0.00	145.94	9.00	326.30
245	0.00	150.94	9.00	326.30
250	0.00	155.93	9.00	326.30
255	0.00	160.93	9.00	326.30
260	0.00	165.93	9.00	326.30
265	0.00	170.92	9.00	326.30
270	0.00	175.88	9.00	326.30
275	0.00	178.82	9.00	326.30
280	0.00	174.01	9.00	326.30
285	0.00	169.03	9.00	326.30
290	0.00	164.04	9.00	326.30
295	0.00	159.05	9.00	326.30
300	0.00	154.05	9.00	326.30
305	0.00	149.05	9.00	326.30
310	0.00	144.05	9.00	326.30
315	0.00	139.05	9.00	326.30
320	0.00	134.05	9.00	326.30
325	0.00	129.05	9.00	326.30
330	0.00	124.05	9.00	326.30
335	0.00	119.05	9.00	326.30
340	0.00	114.05	9.00	326.30
345	0.00	109.06	9.00	326.30
350	0.00	104.06	9.00	326.30
355	0.00	99.06	9.00	326.30

5. CERTIFICATION

I HEREBY CERTIFY THAT I AM THE TECHNICALLY QUALIFIED PERSON RESPONSIBLE FOR THE PREPARATION OF THE FREQUENCY COORDINATION DATA CONTAINED IN THIS APPLICATION, THAT I AM FAMILIAR WITH PARTS 101 AND 25 OF THE FCC RULES AND REGULATIONS, THAT I HAVE EITHER PREPARED OR REVIEWED THE FREQUENCY COORDINATION DATA SUBMITTED WITH THIS APPLICATION, AND THAT IT IS COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BY: 

Gary K. Edwards
Senior Manager
COMSEARCH
19700 Janelia Farm Boulevard
Ashburn, VA 20147

DATED: April 09, 2018