



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION**

Name: Hawaii Pacific Teleport, L.P.

Call Sign: E030115

Authorization Type: Renewal of License

File Number: SES-RWL-20180529-00974

Non Common Carrier

Grant date: 06/15/2018

Expiration Date: 07/03/2033



Nature of Service: Fixed Satellite Service

Class of Station: Fixed Earth Stations

A) Site Location(s)

#	Site ID	Address	Latitude	Longitude	Elevation (Meters)	Special Provisions NAD (Refer to Section H)
1)	1	91-340 FARRINGTON HIGHWAY KAPOLEI, HONOLULU, HI 96707	21°20'8.9"N	158°5'17.8"W	36.6	83

Licensee certifies antenna(s) comply with gain patterns specified in Section 25.209

Subject to the provisions of the Communications Act of 1934, The Communications Satellite Act of 1962, subsequent acts and treaties, and all present and future regulations made by this Commission, and further subject to the conditions and requirements set forth in this license, the grantee is authorized to construct, use and operate the radio facilities described below for radio communications for the term beginning July 3, 2018 (3 AM Eastern Standard Time) and ending July 3, 2033 (3 AM Eastern Standard Time) . The required date of completion of construction and commencement of operation is 00/00/0000. Grantee must file with the Commission a certification upon completion of construction and commencement of operation.

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
1)	14000.0000-14500.0000	H,V	36M0G7W	Tx	73.54	34.00	4.5M.		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC. VARIOUS MOD. QPSK, ETC.
2)	14000.0000-14500.0000	H,V	51K2G7W	Tx	50.60	39.50	4.5M.		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC. VARIOUS MOD. QPSK, ETC.
3)	11450.0000-11700.0000	H,V	36M0G7W	Rx			4.5M.		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC. VARIOUS MOD. QPSK, ETC.
4)	11450.0000-11700.0000	H,V	51K2G7W	Rx			4.5M.		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC. VARIOUS MOD. QPSK, ETC.
5)	10950.0000-11200.0000	H,V	36M0G7W	Rx			4.5M.		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC. VARIOUS MOD. QPSK, ETC.



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION**

Name: Hawaii Pacific Teleport, L.P.

Call Sign: E030115

Authorization Type: Renewal of License

File Number: SES-RWL-20180529-00974

Non Common Carrier

Grant date: 06/15/2018

Expiration Date: 07/03/2033

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
6)	10950.0000-11200.0000	H, V	51K2G7W	Rx			4.5M.		DIGITAL DATA, VARIOUS FEC 3/4, 1/2 ETC. VARIOUS MOD. QPSK, ETC.
7)	5925.0000-6425.0000	H, V, L, R	36M0G7W	Tx	73.54	34.00	4.5M.		DIGITAL DATA, VARIOUS FEC, VARIOUS MOD., VARIOUS INFORMATION
8)	5925.0000-6425.0000	H, V, L, R	51K2G7W	Tx	45.07	34.00	4.5M.		DIGITAL DATA, VARIOUS FEC, VARIOUS MOD., VARIOUS INFORMATION
9)	3700.0000-4200.0000	H, V, L, R	36M0G7W	Rx			4.5M.		DIGITAL DATA, VARIOUS FEC, VARIOUS MOD., VARIOUS INFORMATION
10)	3700.0000-4200.0000	H, V, L, R	51K2G7W	Rx			4.5M.		DIGITAL DATA, VARIOUS FEC, VARIOUS MOD., VARIOUS INFORMATION
11)	14000.0000-14500.0000	H, V, L, R	800KF9D	Tx	70.00	47.00	4.8K		TT&C
12)	14000.0000-14500.0000	H, V, L, R	36M0G7D	Tx	80.50	41.00	4.8K		DIGITAL DATA
13)	14000.0000-14500.0000	H, V, L, R	51K2G7D	Tx	52.10	41.00	4.8K		DIGITAL DATA
14)	14000.0000-14500.0000	H, V, L, R	51K2G7W	Tx	52.10	41.00	4.8K		DIGITAL DATA
15)	11450.0000-11700.0000	H, V, L, R	800KF9D	Rx			4.8K		TT&C
16)	11450.0000-11700.0000	H, V, L, R	36M0G7D	Rx			4.8K		DIGITAL DATA
17)	11450.0000-11700.0000	H, V, L, R	36M0G7W	Rx			4.8K		DIGITAL DATA
18)	11450.0000-11700.0000	H, V, L, R	51K2G7D	Rx			4.8K		DIGITAL DATA
19)	11450.0000-11700.0000	H, V, L, R	51K2G7W	Rx			4.8K		DIGITAL DATA
20)	10950.0000-11200.0000	H, V, L, R	800KF9D	Rx			4.8K		TT&C
21)	10950.0000-11200.0000	H, V, L, R	36M0G7D	Rx			4.8K		DIGITAL DATA
22)	10950.0000-11200.0000	H, V, L, R	36M0G7W	Rx			4.8K		DIGITAL DATA
23)	10950.0000-11200.0000	H, V, L, R	51K2G7D	Rx			4.8K		DIGITAL DATA
24)	10950.0000-11200.0000	H, V, L, R	51K2G7W	Rx			4.8K		DIGITAL DATA
25)	14000.0000-14500.0000	H, V	36M0G7D	Tx	80.50	41.00	4.8M		DIGITAL, QPSK, 3/4, 1/2 FEC



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION

Name: Hawaii Pacific Teleport, L.P.

Call Sign: E030115

Authorization Type: Renewal of License

File Number: SES-RWL-20180529-00974

Non Common Carrier

Grant date: 06/15/2018

Expiration Date: 07/03/2033

B) Particulars of Operations

The General Provision 1010 applies to all receiving frequency bands.

The General Provision 1900 applies to all transmitting frequency bands.

For the text of these provisions, refer to Section H.

#	Frequency (MHz)	Polarization Code	Emission	Tx/Rx Mode	Max EIRP /Carrier (dBW)	Max EIRP Density /Carrier (dBW/4kHz)	Associated Antenna	Special Provisions (Refer to Section H)	Modulation/ Services
26)	14000.0000-14500.0000	H,V	51K2G7D	Tx	52.10	41.00	4.8M		DIGITAL, QPSK, 3/4, 1/2 FEC.
27)	14000.0000-14500.0000	H,V	36M0G7W	Tx	80.50	41.00	4.8M		DIGITAL, QPSK, 3/4, 1/2 FEC, COMBINATION OF CARRIERS.
28)	14000.0000-14500.0000	H,V	51K2G7W	Tx	52.10	41.00	4.8M		DIGITAL, QPSK, 3/4, 1/2, FEC, COMBINATION OF CARRIERS.
29)	11700.0000-12200.0000	H,V	36M0G7D	Rx			4.8M		DIGITAL, QPSK, 3/4, 1/2 FEC
30)	11700.0000-12200.0000	H,V	51K2G7D	Rx			4.8M		DIGITAL, QPSK, 3/4, 1/2 FEC.
31)	11700.0000-12200.0000	H,V	36M0G7W	Rx			4.8M		DIGITAL, QPSK, 3/4, 1/2 FEC, COMBINATION OF CARRIERS.
32)	11700.0000-12200.0000	H,V	51K2G7W	Rx			4.8M		DIGITAL, QPSK, 3/4, 1/2, FEC, COMBINATION OF CARRIERS.
33)	14000.0000-14500.0000	H,V	2M00G7W	Tx	72.60	45.60	8.1		DIGITAL DATA, VARIOUS FEC, VARIOUS MOD., VARIOUS INFORMATION
34)	14000.0000-14500.0000	H,V	36M0G7W	Tx	85.10	45.60	8.1		DIGITAL DATA, VARIOUS FEC, VARIOUS MOD., VARIOUS INFORMATION
35)	12250.0000-12700.0000	H,V	2M00G7W	Rx			8.1		DIGITAL DATA, VARIOUS FEC, VARIOUS MOD., VARIOUS INFORMATION
36)	12250.0000-12700.0000	H,V	36M0G7W	Rx			8.1		DIGITAL DATA, VARIOUS FEC, VARIOUS MOD., VARIOUS INFORMATION

C) Frequency Coordination Limits

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
1)	14000.0000-14500.0000	176.0W	178.0W	57.8	56.3	221.6	224.9	-18	4.8K
2)	10950.0000-11200.0000	176.0W	178.0W	57.8	56.3	221.6	224.9		4.8K



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION**

Name: Hawaii Pacific Teleport, L.P.

Call Sign: E030115

Authorization Type: Renewal of License

File Number: SES-RWL-20180529-00974

Non Common Carrier

Grant date: 06/15/2018

Expiration Date: 07/03/2033

C) Frequency Coordination Limits

#	Frequency Limits (MHz)	Satellite Arc (Deg. Long.)		Elevation (Degrees)		Azimuth (Degrees)		Max EIRP Density toward Horizon (dBW/4kHz)	Associated Antenna(s)
		East Limit	West Limit	East Limit	West Limit	East Limit	West Limit		
3)	11450.0000-11700.0000	176.0W	178.0W	57.8	56.3	221.6	224.9		4.8K
4)	14000.0000-14500.0000	83.0W	194.0W	05.2	42.6	095.5	243.3	-3.45	4.8M
5)	11700.0000-12200.0000	83.0W	194.0W	05.2	42.6	095.5	243.3		4.8M
6)	14000.0000-14500.0000	188.0W	188.0W	48.0	48.0	237.7	237.7	-23.39	4.5M.
7)	10950.0000-11200.0000	188.0W	188.0W	48.0	48.0	237.7	237.7		4.5M.
8)	11450.0000-11700.0000	188.0W	188.0W	48.0	48.0	237.7	237.7		4.5M.
9)	5925.0000-6425.0000	180.0W	188.0W	54.8	48.0	227.9	237.7	-9.96	4.5M.
10)	3700.0000-4200.0000	180.0W	188.0W	54.8	48.0	227.9	237.7		4.5M.
11)	14000.0000-14500.0000	166.0E	166.0E	42.6	42.6	243.3	243.3	-22.7	8.1
12)	12250.0000-12700.0000	166.0E	166.0E	42.6	42.6	243.3	243.3		8.1

D) Points of Communications

The following stations located in the Satellite orbits consistent with Sections B and C of this Entry:

- 1) 1 to INTELSAT 19 (S2850) @ 166.0 degrees E.L. (U.S.-licensed)
- 2) 1 to Permitted Space Station List

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
1	4.5M.	1	4.5	ANDREW CORP.	ESA45	36.6	5 AGL/ 41.58 AMSL	
Max Gains(s):		51.6 dBi @	11.9500 GHz	53.6 dBi @	14.2500 GHz	44.0 dBi @		
		4.0000 GHz	47.1 dBi @	6.0000 GHz				
Maximum total input power at antenna flange (Watts) =					440.55			
Maximum aggregate output EIRP for all carriers (dBW) =					73.54			
1	4.8K	1	4.8	VERTEX	KPK	36.6	5.8 AGL/ 42.4 AMSL	
Max Gains(s):		55.0 dBi @	14.2500 GHz	53.0 dBi @	11.4500 GHz			
Maximum total input power at antenna flange (Watts) =					500.00			
Maximum aggregate output EIRP for all carriers (dBW) =					82.00			



**UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION**

Name: Hawaii Pacific Teleport, L.P.

Call Sign: E030115

Authorization Type: Renewal of License

File Number: SES-RWL-20180529-00974

Non Common Carrier

Grant date: 06/15/2018

Expiration Date: 07/03/2033

E) Antenna Facilities

Site ID	Antenna ID	Units	Diameter (meters)	Manufacturer	Model number	Site Elevation (Meters)	Max Antenna Height (Meters)	Special Provisions (Refer to Section H)
1	4.8M	1	4.8	VERTEX	4.8 KPK	36.6	5.2 AGL/ 41.78 AMSL	
Max Gains(s):		55.0 dBi @	14.0000 GHz	53.0 dBi @	12.0000 GHz			
Maximum total input power at antenna flange (Watts) =		500.00						
Maximum aggregate output EIRP for all carriers (dBW) =		82.20						
1	8.1	1	8.1	GD SATCOM	8.1M	36.6	9.2 AGL/ 55.6 AMSL	
Max Gains(s):		58.0 dBi @	12.6700 GHz	59.7 dBi @	14.2500 GHz			
Maximum total input power at antenna flange (Watts) =		350.00						
Maximum aggregate output EIRP for all carriers (dBW) =		85.10						

G) Antenna Structure marking and lighting requirements:

None unless otherwise specified under Special and General Provisions

H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

- 4 --- Licensee must ensure that a current listing of the name, title, mailing address, email address, and telephone number of the responsible point of contact are on file at the FCC. Any changes must be filed electronically in the International Bureau Filing System (IBFS) in the "Other Filings" tab within 10 days of the change.
- 5 --- Licensee must notify the Commission when this earth station is no longer operational or when it has not been used to provide any service during any 6-month operation.
- 6 --- Licensee must comply with the license modification and notification requirements of 47 CFR § 25.118 to change the coordinates of its authorized earth station.
- 8 --- Licensee must notify the Commission when all earth stations operating under this authorization are no longer operational or when they have not been used to provide any service during any 6-month operation.

480 --- The grant of this license is pursuant to NG52, which requires that signals received in the 10.7-11.7 GHz band be emanated from uplink transmissions outside the US&P.

6630 --- Operations with Permitted List satellites is limited in the 14.0-14.5 GHz frequency band (Earth-to-space) and 11.7-12.2 GHz (space-to-Earth) to -14 dBW/4kHz input power spectral density and equivalent diameter of the transmitting antenna of 1.2 meters or greater pursuant to 47 C.F.R. Section 25.212 (c)(2) of the Commission's rules.



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION

Name: Hawaii Pacific Teleport, L.P.

Call Sign: E030115

Authorization Type: Renewal of License

File Number: SES-RWL-20180529-00974

Non Common Carrier

Grant date: 06/15/2018

Expiration Date: 07/03/2033

H) Special and General Provisions

A) This RADIO STATION AUTHORIZATION is granted subject to the following special provisions and general conditions:

- 90398 --- Changes to previously authorized transmitting facilities, operations and devices regulated by the Commission that may have significant environmental impact, and are not excluded by §1.1306, require the preparation of an Environmental Assessment (EA) by the licensee. (See 47 C.F.R. §§1.1307, 1.1308 and 1.1311)
- 90399 --- The licensee shall, at all times, take all necessary measures to ensure that operation of this (these) authorized earth station(s) does not create potential exposure of humans to radiofrequency radiation in excess of the FCC exposure limits defined in 47 CFR §§ 1.1307(b) and 1.1310. Physical measures must be taken to ensure compliance with limits for both occupational/controlled exposure and for general population/uncontrolled exposure, as defined in these rule sections. Compliance can be accomplished in most cases by appropriate restrictions, such as fencing. Requirements for restrictions can be determined by predictions based on calculations, modeling, or by field measurements. The FCC's OET Bulletin 65 (available on-line at www.fcc.gov/oet/rfsafety) provides information on predicting exposure levels and on methods for ensuring compliance, including the use of warning and alerting signs and protective equipment for workers.
- 90405 --- Operations with PERMITTED LIST satellite must comply with §25.212 levels and operations above this levels must coordinate with satellite operators prior to operations.
- 900407 --- The Permitted Space Station List (Permitted List) is a list of all geostationary space stations providing fixed-satellite service pursuant to a Commission license or grant of U.S. market access. The Permitted List currently includes the following frequency bands per §25.103 and §25.115(k)(1):
- 3600-4200 MHz (space-to-Earth)
 - 5850-6725 MHz (Earth-to-space)
 - 10.95-11.2 GHz (space-to-Earth)
 - 11.45-12.2 GHz (space-to-Earth)
 - 13.75-14.5 GHz (Earth-to-space)
 - 18.3-18.8 GHz (space-to-Earth)
 - 19.7-20.2 GHz (space-to-Earth)
 - 24.75-25.25 GHz (Earth-to-space)
 - 28.35-28.6 GHz (Earth-to-space)
 - 29.25-30.0 GHz (Earth-to-space).

Earth stations with "Permitted List" designated as a point of communication may access any space station on the Permitted List, provided the operations comply with the applicable "routine" uplink and downlink limits, are within the specific frequency bands authorized in the earth station license, have completed coordination with terrestrial stations pursuant to §25.203, and otherwise comply with all terms and conditions of both the earth station license and the space station grant.



UNITED STATES OF AMERICA
FEDERAL COMMUNICATIONS COMMISSION
RADIO STATION AUTHORIZATION

Name: Hawaii Pacific Teleport, L.P.

Call Sign: E030115

Authorization Type: Renewal of License

File Number: SES-RWL-20180529-00974

Non Common Carrier

Grant date: 06/15/2018

Expiration Date: 07/03/2033

B) This RADIO STATION AUTHORIZATION is granted subject to the additional conditions specified below:

This authorization is issued on the grantee's representation that the statements contained in the application are true and that the undertakings described will be carried out in good faith.

This authorization shall not be construed in any manner as a finding by the Commission on the question of marking or lighting of the antenna system should future conditions require. The grantee expressly agrees to install such marking or lighting as the Commission may require under the provisions of Section 303(q) of the Communications Act. 47 U.S.C. § 303(q).

Neither this authorization nor the right granted by this authorization shall be assigned or otherwise transferred to any person, firm, company or corporation without the written consent of the Commission. This authorization is subject to the right of use or control by the government of the United States conferred by Section 706 of the Communications Act. 47 U.S.C. § 706. Operation of this station is governed by Part 25 of the Commission's Rules. 47 C.F.R. Part 25.

This authorization shall not vest in the licensee any right to operate this station nor any right in the use of the designated frequencies beyond the term of this license, nor in any other manner than authorized herein.

This authorization is issued on the grantee's representation that the station is in compliance with environmental requirements set forth in Section 1.1307 of the Commission's Rules. 47 C.F.R. § 1.1307.

This authorization is issued on the grantee's representation that the station is in compliance with the Federal Aviation Administration (FAA) requirements as set forth in Section 17.4 of the Commission's Rules. 47 C.F.R. § 17.4.

The following condition applies when this authorization permits construction of or modifies the construction permit of a radio station.

This authorization shall be automatically forfeited if the station is not ready for operation by the required date of completion of construction unless an application for modification of authorization to request additional time to complete construction is filed by that date, together with a showing that failure to complete construction by the required date was due to factors not under control of the grantee.

Licensees are required to pay annual regulatory fees related to this authorization. The requirement to collect annual regulatory fees from regulatees is contained in Public Law 103-66, "The Omnibus Budget Reconciliation Act of 1993." These regulatory fees, which are likely to change each fiscal year, are used to offset costs associated with the Commission's enforcement, public service, international and policy and rulemaking activities. The Commission issues a Report and Order each year, setting the new regulatory fee rates. Receive only earth stations are exempt from payment of regulatory fees.